WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	County	Fraction		Section number		Township number	Range number	
1. Location of well:	Seward	SE1/4 SE 1/4 NW			26	т 34 s		
, <u> </u>					er of well: National Beef Packing Co.			
Street address of well location if in city: Liberal, Kansas R.R. or stree City, state,						eet: 1501 No. 8th p. zip code: Liberal, Kansas		
4. Locate with "X" in section below: Sketch map:					6. Bore hole dia. 28 in. Completion date			
2356'S and 389'W of NE corn					1	Well depth60.5 ft. 103177 7 Cable tool Rotary Driven Dug		
				Sewa	rd	Hollow rod Jetted BoredX Reverse rotary		
						8. Use: Domestic Public supplyX Industry Irrigation Air conditioning Stock		
₹ W						Lawn Oil field water Other		
						9. Casing: Materia Height: Above or below Threaded Welded Surface in.		
						RMP PYC Weightlbs./ft. Dia 16 in. to 345t. depth Wall Thickness: inches or		
5 Turn and solve of material				From	То	Dia in. to ft. dep	th!Wall Thickness: inches or th!gage No. <u>375</u>	
5. Type and color of material				170		10. Screen: Manufacturer's n		
Fine sand				0	38	Type Louver	Dia. 16"	
Gray clay, sand streaks				38	44	Slot/gauze Length		
Tan clay				44	73			
Fine sand				73	82	11. Static water level: mo./day/yr. 127 ft. below land surface Date 6-22-77		
Fine to coarse sand				82	90	12. Pumping level below land surfaces: 309 ft. after 15 hrs. pumping 1230g.p.m. 12. Pumping level below land surfaces: 12. Pumping level below land surfaces: 13. Water sample submitted: 14. Pumping level below land surfaces: 15. Pumping level below land surfaces: 16. Pumping level below land surfaces: 17. Pumping level below land surfaces: 18. Pumping level below land surfaces: 19. Pumping level below land surfaces: 10. Pumping lev		
Tan clay, caliche streaks				90	132			
Fine to medium sand, clay streaks, loose				132	222			
Fine sand				222	274	14. Well head completion:		
Fine to medium sand, small clay streaks				274	370	Pitless adapter	X Inches above grade	
Fine to medium sand, loose				370	470	With: Neat cement Bentonite X Concrete Depth: From of t. to 200 ft.		
Fine to medium sand, loose				470	570	16. Nearest source of possibl		
Fine to medium sand, loose				570	625	Well disinfected upon comple	etion? X Yes No	
Red bed				625	640	Manufacturer's name La	Not installed Not installed S Bowler	
						Type: Submersible	X _{Turbine}	
(Use a second sheet if needed)						Jet Centrifugal	Reciprocating Other	
18. Elevation: 19. Remarks:						20. Water well contractor's	· · · · · · · · · · · · · · · · · · ·	
					This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.			
Topography:							License No.	
Slope Upland						Address Garden C.	ity Kansas	
Valley						Signe Authorized re	presentative / 3 Dec 77	