WATE	D WEI I	L RECORD	Form WWC	5	District of SWA	D	45690	
		F WATER WELL:	Fraction Fraction	-3	Section Number	er Resources; App. No. Township Number		
	nt Seward		SW 1/4 SW 1/4 /	151/	10	T 34 S	R 34 EW	
Distance and direction from nearest town or city street address of well if Global Positioning Systems (decimal degrees, min. of 4 digits)								
located within city?Liberal: Hwy 83/54 5 N on Hwy 83 to Rd Loatitude:								
4,5 W .5 S Wto pump jack 30'W 50'N to blue flags Longitude:								
2 WA	TER WE	LLOWNER: Wayne Wet		95	Elevation:			
RR#	, St. Addre	ess, Box # : Rt. 1	2000011		Datum:			
City, State, ZIP Code : Liberal, KS 67901					Data Collection Method:			
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 580								
LOCATION								
WITH AN "X" IN Depth(s) Groundwater Encountered (1)204								
SEC	SECTION BOX: WELL'S STATIC WATER LEVEL204 ft. below land surface measured on mo/day/yr							
Pump test data: Well water was 2, 2, ft. after								
WELL WATER TO BE LICED AC. 5 Public water graphs 9 Air conditioning 11 Injection well								
WELL WATER TO BE USED AS: 3 Fublic water supply 8 Air conditioning 11 injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)								
rigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well								
SW SE W								
	Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs							
Sample was submitted								
S								
5 TYP	E OF CAS	ING USED: 5 Wrought	Iron 8 Cond	crete tile	CASIN	G JOINTS: Glued	X Clamped	
	Steel	3 RMP (SR) 6 Asbestos	-Cement 9 Othe	r (specify	below)			
$\int_{-\infty}^{\infty} (2^{2})^{n}$	PVC	4 ABS 7 Fiberglass	s			Threade	d	
Blank c	asing diam	eter5 in. to 480	ft., Diameter	i	in. to ft.	, Diameter	. in. toft.	
Casing	height abov	e land surface24.	in., Weight .37	06	lbs./ft. Wall thi	ckness or guage Nos	DR-21-316	
1		N OR PERFORATION MATE	ERIAL:					
1	Steel		rglass 7VC		ABS			
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)								
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 aw cut 10 Other (specify)								
From								
GRAVEL PACK INTERVALS: From380 ft. to580 ft., From ft. to ft.								
From								
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other hole plug								
Grout Intervals: From								
•								
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide storage 16 Other (specify 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)								
1		sewer lines 6 Seepage pit				l well/gas well		
		1?					· · · · · · · · · · · · · · · · · · ·	
FROM	TO	LITHOLOGIC		FROM		PLUGGING INT		
0	6	Surface						
6	37	Sandy clay						
37	74	Clay and sandy clay						
74	114	Sand						
114	138	Clay						
138	198	Caliche clay						
198	540	Sand						
540	580	Sand and clay streak	S					
		-						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged								
under my jurisdiction and was completed on (mo/day/year) .11230.9 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License Nokwwci.430 This Water Well Record was completed on (m6/day/year)								
under the business name of Howard Drilling Box 806 Beaver, Okby7 (signature) (Marks, wheeling or office the correct answers. Send top								
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone								
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at								
:http://www.kdheks.gov/waterwell/index.html.								