KOLAR Document ID: 1589662

WATER V				WWC-5				on of Wate			Well	^{ID} [
Original Record Correction Change in Well Use 1 LOCATION OF WATER WELL: Fraction					Resources App. No. Section Number Township Number					ge Number			
County: 14 14 14					, com	T S R DE DW							
2 a many .						Street or 1	Rural	Address	whe	ere well is located			
Business:						direction fro	irection from nearest town or intersection): If at owner's address, check here:					heck here:	
Address:													
Address: City: State: ZIP:													
3 LOCATE	WELL						_						
WITH "X				IPLETED W			. ft.						
SECTION	BOX:			Encountered: 1						e:			
N				3) ft., TER LEVEL: .						WGS 84 NAI		∐ N.	AD 27
	X			, measured on (<u>Latitude/Longitude</u> unit make/model:			,
NW	- NE			measured on (WAAS enabled?			
	i	_		ater was ft.				☐ Land Survey ☐ Topogr					-,
w	Е	after		pumpinggpm				☐ Online Mapper:					
SW	- SE	ofton		vater was			-						
		Estimated Y		pumping gpm				6 Elevation :ft. ☐ Ground Level ☐ TOC					
S				gpm in. to ft. and				Source: Land Survey G			GPS [☐ To	pographic Map
1 mil	le			in. to						Other			
7 WELL W	ATER TO	BE USED A	AS:										
1. Domestic:				ter Supply: we						eld Water Supply: 16			
Househo				g: how many v						: well ID			
☐ Lawn &									I ☐ Uncased ☐ Geotechnical nal: how many bores?				
☐ Livestoc 2. ☐ Irrigation				g: well ID									
3. ☐ Feedlot	1		Air Sparge	Remediation: well ID			••	a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water					
4. Industria	ıl		Recovery	☐ Inje	_					(specify):			
Was a chem	ical/bacteri	ological san	nple subm	itted to KDH	IE? □	Yes □ N	o I	f yes, date	e sar	nple was submitte	:d:		
Water well d					_	_		3 /		ı			
8 TYPE OF	CASING	USED: □ S	teel PV	C 🗌 Other		CA	SING	JOINTS	:	Glued Clamped	l 🗆 W	elded	Threaded
										in. to			
Casing height						lbs./i	ît.	Wall thick	kness	or gauge No		••••	
TYPE OF SO			TION MA		1 DIVG					7 (0)			
☐ Steel ☐ Brass	_	less Steel anized Steel			PVC	ised (open h	(داد،	∐ Oth	ner (S	Specify)			•••••
SCREEN OF	_		NINGS AI] None t	iseu (open i	ioie)						
☐ Continu		☐ Mill Slot		auze Wrapped	Пто	orch Cut	l Dril	led Holes	П	Other (Specify)			
Louvere		☐ Key Punch						ne (Open H					
SCREEN-PE	ERFORATE	D INTERVA	ALS: From	n ft. to	o	ft., Fro	n	ft. to	o	ft., From	f	it. to	ft.
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.													
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other													
	Grout Intervals: From												
Nearest source of possible contamination: No potential source of contamination within 200 ft. ☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage													
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well													
☐ Watertig	ht Sewer Line	es 🗆 S	Seepage Pit	☐ Fee	edyard			rtilizer Sto					
☐ Other (Specify)													
					from w							CD16	
10 FROM	TO		ITHOLOG	FIC LOG		FROM		TO	LH	HO. LOG (cont.) or	PLUG	GINC	INTERVALS
													-
					-						-		
						Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged													
under my jurisdiction and was completed on (mo-day-year)													
Kansas Wate	r Well Cont	tractor's Lice	ense No		Γhis Wa	ater Well F	Recor	d was cor	nple	eted on (mo-day-y	ear)		
under the bus	siness name	of	****	TT 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						or each <u>constructed</u> we		<u></u>	
KS Denartme	S nt of Health ar	end one copy to d Environment	OWATER W . Bureau of V	ELL OWNER at Vater, Geology Se	nd retain ection 10	one for your: 000 SW Jacks	records	s. Fee of \$5 . Suite 420	0.00 f Tope	or each <u>constructed</u> we eka. Kansas 66612-13 <i>6</i>	ell. 57. Teler	ohone	785-296-3565
_	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212												

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc. #145	
Well Owner	Roy Walkemeyer	
Doc ID	1589662	

Lithology

Littlology	I-	Lucia de la compansión de
From	То	LithologicLog
0	2	top soil
2	8	brown sandy clay
8	24	fine sand
24	37	brown sandy clay & fine sand
37	53	fine sand
53	62	fine w/ some coarse & small gravel
62	80	brown sandy clay & fine sand
80	132	fine med coarse sand med gravel
132	162	brown sandy clay
162	172	fine med coarse sand small gravel
172	178	brown sandy clay
178	187	fine sand w/ few clay layers
187	198	caliche & fine sand mixed
198	224	fine sand w/ few clay layers
224	283	fine sand w/ few clay layers
283	304	fine med sand w/ few clay stringers
304	320	fine sand w/ few clay stringers
320	335	brown clay
335	359	fine sand w/ few clay layers
359	368	brown clay
368	400	fine few med sand
		

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc. #145
Well Owner	Roy Walkemeyer
Doc ID	1589662

Lithology

From	То	LithologicLog
400	429	fine med sand
429	438	fine sand w/ few clay layers
438	456	fine med sand w/ couple clay stringers
456	480	brown & little light blue clay
480	519	blue clay
519	530	fine med sand w/ many clay layers
530	560	blue clay
560	588	fine med sand
588	620	fine med coarse sand w/ brown & tan rock
620	645	reddish brown sandy clay w/ fine sand & some brown rock
645	660	red bed