KOLAR Document ID: 1607295

WATER V		ECORD Correction		WWC-5				ion of Wate			Well I	_ [
Original Record Correction Change in Well Use 1 LOCATION OF WATER WELL: Fraction				Resources App. No. Section Number Township Number					ge Number				
County: 14 14 14					20011	T S R DE W							
C = 111j ·							l Address where well is located (if unknown, distance and						
Business:						direction fr	irection from nearest town or intersection): If at owner's address, check here:						
Address:													
Address: City: State: ZIP:													
3 LOCATE	WELL												
WITH "X				IPLETED W			ft.						
SECTION	BOX:			Encountered: 3) ft.			1			e:			
N				TER LEVEL:			1			WGS 84 □ NAI		_ N	AD 27
				measured on						<u>Latitude/Longitude</u> unit make/model:	•		,
NW	- X E			measured on						WAAS enabled?			
	i	~		ater was						Survey Topogra			•
w	Е	after		pumping			pm						
SW	- SE	aftar		ater was pumping									
		Estimated Y				gpm	6 Elevation:ft. ☐ Ground Leve			Level 🔲 TOC			
S				in. to .		ft. and		Source: Land Survey G			GPS [] To	pographic Map
1 mi	le			in. to .						Other			
7 WELL W	ATER TO	BE USED A	AS:										
1. Domestic:				ter Supply: w						eld Water Supply: 16			
Househo				g: how many									••••
Lawn &				echarge: well						Uncased (
Livestoc 2. Irrigation				g: well ID						al: how many bores			
3. ☐ Feedlot	11] Air Sparge	al Remediation: well ID			••••	a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of W					
4. Industria	ıl		Recovery	□ Inje	_					(specify):			
Was a chem	ical/bacteri	ological san	nple subm	itted to KDI	HE ? □	Yes □ N	lo]	If yes, date	e sar	nple was submitte	d:		
Water well d					_	_		•		1			
8 TYPE OF	CASING	U SED: □ S	teel PV	C 🔲 Other		CA	SIN	G JOINTS	:	Glued Clamped	d ☐ We	lded	☐ Threaded
										in. to			
Casing height						lbs./	ft.	Wall thick	kness	or gauge No		•••	
TYPE OF SO			TION MA		7 DV/G					7 (6)			
☐ Steel ☐ Brass		less Steel mized Steel			PVC	ised (open	hala)	☐ Oth	ner (S	Specify)			•••••
SCREEN OF			NINGS AI		_ None t	iseu (open	noie)						
☐ Continu		☐ Mill Slot		auze Wrapped	Пто	orch Cut [□ Dri	illed Holes	П	Other (Specify)			
Louvere		☐ Key Punch						ne (Open H		(-1),			
SCREEN-PE	ERFORATE	D INTERVA	ALS: From	1 ft. t	to	ft., Fro	m	ft. to	o	ft., From	ft	. to .	ft.
GR	SCREEN-PERFORATED INTERVALS: From								ft.				
	9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From ft. to ft., From ft. to ft. from ft. to												
									••••	ft. to	ft.		
Nearest source of possible contamination: No potential source of contamination within 200 ft. □ Septic Tank □ Lateral Lines □ Pit Privy □ Livestock Pens □ Insecticide Storage													
□ Septic Tank □ Lateral Lines □ Pit Privy □ Livestock Pens □ Insecticide Storage □ Sewer Lines □ Cess Pool □ Sewage Lagoon □ Fuel Storage □ Abandoned Water Well													
☐ Watertig	ht Sewer Line	es 🗆 S	Seepage Pit	☐ Fe	edyard			ertilizer Sto					
Other (S	☐ Other (Specify) Direction from well? Distance from well? ft.												
					e from w							777.76	S DIEDELLI G
10 FROM	TO	L	ITHOLOG	FIC LOG		FROM	1	TO	LH	HO. LOG (cont.) or	PLUGC	IINC	INTERVALS
							+						
					-								
	Notes:												
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged													
under my jurisdiction and was completed on (mo-day-year)													
Kansas Wate	er Well Cont	ractor's Lice	ense No		This Wa	ater Well	Reco	rd was cor	nple	ted on (mo-day-ye	ear)		
under the business name of													
KS Departme	S ent of Health ar	end one copy to d Environment	o WATER W . Bureau of V	ELL OWNER a Vater, Geology S	nd retain Section 10	one for your 000 SW Jack	record	as. Fee of \$5 t Suite 420	0.00 f Tope	or each <u>constructed</u> we eka. Kansas 66612-136	ш. 57. Telen'	hone	785-296-3565
-	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212												

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc. #145	
Well Owner	Jerry Cox	
Doc ID	1607295	

Lithology

From	То	LithologicLog
0	2	top soil
2	27	brown sandy clay
27	35	fine sand
35	40	brown sandy clay
40	50	fine sand
50	54	brown clay
54	61	fine med coarse sand small gravel
61	70	fine sand
70	87	brown sandy clay w/ some caliche
87	151	brown clay w/ few sand strips
151	170	tan & white clay w/ little caliche
170	195	fine sand w/ few clay layers
195	201	brown sandy clay
201	210	fine med few coarse sand
210	248	fine sand w/ couple clay layers
248	260	fine med sand
260	268	brown sandy clay
268	283	fine med sand w/ couple clay stringers
283	340	brown clay w/ thin light blue strips
340	381	tan & blue clay

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc. #145
Well Owner	Jerry Cox
Doc ID	1607295

Lithology

From	То	LithologicLog
381	402	blue & some brown clay
402	419	brown clay
419	542	blue & little brown clay
542	580	brown sandy clay w/ many fine med sand strips
580	601	fine med coarse sand few small gravel
601	606	brown sandy clay
606	622	fine med coarse sand
622	634	brown sandy clay w/ many sand strips
634	663	fine med coarse sand brown rock & few small gravel
663	670	fine med coarse sand brown rock &
670	680	red bed