WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors)

						Topeka, Kansas 66620
1.1	County Fraction			Section number		Township number Range number
1. Location of well:	Stevens SE 1/4 W//SE 1/4		.1/4	2/		T 34 S R 36 E/W
Street address of well location if in city: R.R. of				er of well: street: ate, zip c	Hon	Hu 60 ton Kon
NW	N .	Sketch map:				6. Bore hole dia
					9. Casing: Material Steel Height: Above or below Threaded Welded X Surface in. RMP PVC Weight 41.5 lbs./ft.	
	S Mile ——→I					Dia / Din. to ft. depth Wall Thickness: inches or
5. Type and color o	of material			From	То	Diain. toft. depth gage No230
Overburden				0	2	Type Steel Dia. Island
Top Soil				2	260	Set betweenft. andft.
Med. Sd. & Clay				260	320	Gravel pack? 42 Size range of material 18-14
Sd., Gravel & Clay				320	340	11. Static water level: mo./day/yr. 146 ft. below land surface Date 186/16
Med. Coarse Sd. & Clay Strks.				340	400	12. Pumping level below land surfaces: NA ft. after hrs. pumping g.p.m.
Coarse Sd. w∕Clay				400	480	1
Med. to Coarse Sd. ω/Clay				480	560	
Med. Sd. & Clay				560	580	
Coarse & Med. Sd. w/Clay				580	660	15. Well grouted? (LLD)
						With: Neat coment Bentanite Concrete Depth: From ft. to ft.
						16. Nearest source of possible contamination: ft Direction Type
						Well disinfected upon completion? Yes No
						Manufacturer's name
						Length of drop pipe ft. capacityg.p.m.
						Type: Submersible Turbine Jet Reciprocating
18. Elevation:		sheet if needed) ON SohnSON I	e R			Centrifugal Other 6
		Steel 16"	~ ,			This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Topography: ,1000 Slot 631-657						KTM DRILLING, INC. 225
Slope Upland Valley	/	6A CROP LAN	ć		•	Address Box 1385 GLYMON, Oklae/ Signed Authorized representative
	blue and pink copies to the Department	t of Health and Environment				Form WWC-5