PERMIT #T79-36

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors)

CWW Inv. #]	15554	Parker State #3			1	Topeka, Kansas 66620								
	County	Fraction	Section	number	Township number	Range number								
1. Location of well:	Stevens	1/4 1/4 C-E ¹ 278	2	8	T 34S	s R 36W E/W								
2. Distance and direction from nearest town or city: On Second St. Rd. 3. Owner of well: Zenith Drilling Corp., Inc.														
go to 1st Stop sign - 2m West - 2m North - R.R. or street: Suite 600, 200 W. Dowglas														
I Im Fact - Im Courth - Im West to location City, state, zip code: WICHILD RANSOS 9/202 11														
4. Locate with "X" in section below: Sketch map:					6. Bore hole dia	in. Completion date								
N N					Well depth 280 ft									
					7 Cable tool X Rot	ary Driven Dug ted Bored Reverse rotary]								
NW NE /nEASE						Public supply X Industry								
In East In					Irrigation Air conditioning Stock Lawn Oil field water Other Other Casing: Material Height: Above or below Ihreaded Welded Surface 28 in RMP PVC Weight 2.78 lbs./ft.									
								1 Mile ————————————————————————————————————					Dia. 5 in. to 1801.	depth Wall Thickness: inches or
								5. Type and color of	material		From	То		depth gage No. <u>•265</u>
													10. Screen: Manufacture Sawed perf.	r's name
Surface			0	2	Type PVC	Dia5#								
Class			2	42	Slot/gauze 030	Length								
Clay			-	42	Set between	ft. andft.								
Clay 80% & fine sand 20%			42	62	Gravel pack? Yes Siz	e range of material <u>1/8–3/1</u> 6								
Class 60%	o modium to lewso	and 109	62	102	11. Static water level:	mo./day/yr.								
Clay 60% & medium to large sand 40%			02		n. below falle	surface Date <u>2/24/79</u>								
Clay			102	165	12. Pumping level below	land surfaces:hrs. pumping g.p.m.								
Medium to large sand			165	185	ft. after	hrs. pumping g.p.m.								
				100	Estimated maximum yield									
Fine sand 70% & medium to large sand 30%			185	280	13. Water sample submitt									
					Pitless adapter	28 Inches above grade								
					15. Well grouted? yes	<u>-</u>								
					With: X Neat cement Depth: From 0 ft.	Bentonite Concrete								
					16. Nearest source of po									
			+		ft. 100 Direction									
					Well disinfected upon co	v								
					17. Pump: Manufacturer's name	Not installed								
		****	 	 		HP Volts								
			<u> </u>		4 _~	ft. capacityg.p.m.								
					Type: Submersible	Turbine								
			+		Jet	Reciprocating								
(Use a second sheet if needed)					Centrifugal	Other Of								
18. Elevation: 19. Remarks:					20. Water well contracto									
					This well was drilled und	ler my jurisdiction and this report knowledge and belief.								
Topography:					l	Well Service 118								
— Hill					Business name Address BOX AA	Liberal, KS								
Slope Upland					1 20	8 Mana 3-2-79								
Valley					Signed Authorized	d representative								