USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215

T R EW sec 1/4 1/4 1/4 No.

Kansas State Dept. Of Health (Water Well Contractors) Forbes–Bldg. 740 Topeka, Kansas 66620

| 1 Location of well: | | Township name | Fraction | -r:L | | n number | | Town number | Range number | |
|---|---------|----------------------------|----------|---------|-----|-----------------------|---|--|--------------------------|--|
| Distance and directi | Stevens | | VE/4/N'S | 3 Owner | | Har | n] d | | | |
| Distance and direction from nearest town or city. 8 5 04 14 5 E1457 0F Street address of well location if in city: HU GOTON, KAN Address: Address: | | | | | | | | OCU. 114 160 TON, FAN | | |
| Locate with "X" in section below: Sketch map: | | | | | | | 4 Well depth: 655 ft. Date of completion 5/29/26 Well diameter 26 in. | | | |
| 1 | | | | | | 5 Cable tool 🗶 Rotary | | | | |
| w E | | | | | | | 6 Use: Domestic Public supply Industry Irrigation Air conditioning Commercial Test well | | | |
| 5 5 | | | | | | | 7 Casing: Materia Acceptation Threaded Welded Sourface In. Digm. Weight 12.2 lbs./ft.1 Casing: Materia Acceptation Weight 12.2 lbs./ft.1 | | | |
| 2 Type and color of material | | | | | | То | in. to ft. depth | | | |
| Top Soil | | | | | ٥ | 2 | | inufacturer b. B to | ister | |
| Sand, Clay & Brn. Clay | | | | | 2 | 180 | Slo | ot/gauze Lo between ft and 1 | ength | |
| Med. Sd. & Clay Strks. | | | | | 180 | 300 | Fit Gr | tings: 173 4 avel pack Yes No | Size range of material 4 | |
| Grey & Blue Clay | | | | | 300 | 400 | | tic water level:ft. below land surface | Date | |
| Grey Clay & Fine Sand | | | | | 400 | 500 | | mping level below land sur ft. after hrs. | | |
| Med. Sd. w/Clay | | | | | 500 | 600 | _ | ft. after hrs. | pumping g.p.m. | |
| Med. & Fine Sd. w/Clay | | | | | 600 | 610 | 11 Wo | iter sample submitted: | | |
| Med. Coarse Sd. | | | | | 610 | 650 | 12 We | ell head completion: | | |
| Med. Sd. w/Red Clay | | | | | 650 | 670 | 13 We | Il grouted? XYes | □No | |
| Red Clay | | | | | 670 | 700 | De | Neat cement Bentoni | te T | |
| | | | | | | | | earest source of possible co | ntamination: | |
| | | | | | | | W | ell disinfected upon comple | etion? Yes No | |
| | | | | | | | 15 Pu Ma | mp: J anufacturer's name | Not installed | |
| | | ****** | | | 118 | | l | | HP Volts | |
| | | | | | | | Ту | pe: Tunp Set By Submersible | Jue ARTY | |
| | (use | e a second sheet if needed |) | | | | |] Jet] Certrifugal | Reciprocating Other | |
| 16 Remarks: elevation Sa Johnson Lee. Steel 16" | | | | | | | 17 Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. KTM DRILLING. INC. 225 | | | |
| 1/000 Slet | | | | | | | | | | |
| Indian Cap Land Cap Land | | | | | | | Business name 1385, Guymon, UKIa. | | | |
| Dupland 14 CROP LAND | | | | | | | | gned Authorized represe | Date (4/3/) | |