				Form WWC-5	KSA 82			
LOCATION OF WA		Fraction NW 1/4	SE % NE	Sect	ion Numbe 35	r Township T 34S	Number 11	Range Number R 36W EW)
Distance and direction	from nearest low	vn or city street ad	dress of well if located	within city? -	West (Libera	1 6h se	cond Street
WATER WELL ON		rs. Murie				ORPORATIO	N	into location
RR#, St. Address, Bo		00 East Th		HODIN	OID C			Division of Water Resources
City, State, ZIP Code		ugoton, K					on Number:	T-87-328
				300				
AN "X" IN SECTIO			DMPLETED WELL	120	. ft. ELEV	ATION:		ft.
	N	Depth(s) Groundw	vater Encountered 1.	20	ft.	2	tt. 3	Ω_27_Ω7
) i	1 1 1							8-27-87
NW	NE							mping gpm
1 !		Est. Yield÷.÷.	Y gpm: Well water	was	ft.	after	hours pu	mping gpm
* w	E							10
<u> </u>		WELL WATER TO		Public water		20 1/1	7.9 6.1	Injection well
sw	SE	1 Domestic				9 Dewatering		Other (Specify below)
1		2 Irrigation		•	•	10 Observation		
			acteriological sample su	ubmitted to De				mo/day/yr sample was sub-
	<u> </u>	mitted				ater Well Disinfed		No Clamped
TYPE OF BLANK			5 Wrought iron	8 Concre			OINTS Glued	Clamped
1 Steel	3 RMP (SF	•	6 Asbestos-Cement	•	specify bek	•		ed
2 PVC	4 ABS 6 625	1/0	7 Fiberglass			• • • • • • • • • • • • • • • • • • • •		ded
Blank casing diameter		.m. 10						in. to ft.
Casing height above			in., weight		_	./ft. Wall thicknes	s or gauge No	D • 4.0 V
TYPE OF SCREEN C				a PVC	2	10 A	sbestos-ceme	nt
1 Steel	3 Stainless	s steel	5 Fiberglass	8 RM	P (SR)	11 C	other (specify)	
2 Brass	4 Galvaniz		6 Concrete tile	9 ABS	3	12 N	ione used (op	en hole)
SCREEN OR PERFO	RATION OPENING	GS ARE:	5 Gauzeo	d wrapped		8 Saw cut		11 None (open hole)
1 Continuous si	ot 3 Mi	ill slot	6 Wire w	rapped		9 Drilled hole	s	Ħ
2 Louvered shu	ter 4 Ke	ey punched	7 Torch					
SCREEN-PERFORAT	ED INTERVALS:	From	O ft. to	300	ft., Fr	om	ft. to	o
		From	ft. to		ft. Fr	om	ft. to	o
COAVELDA				200		•		
GRAVEL PA	CK INTERVALS:	From	Q ft. to	200	ft., Fr	om		o
		From	V ft. to ft. to	300	ft., Fr ft., Fr	om	ft. to	
GROUT MATERIA	L: 1 Neat o	From 2	ft. to	300 (3 Benton	ft., Fr	omom 4 Other Hole	Pluo	5 ft.
GROUT MATERIA	L: 1 Neat o	From 2 cement 2 cemen	ft. to	300 (3 Benton	ft., Fr	om om 4 Other Hole	Pluo ft. to	
GROUT MATERIA Grout Intervals: Fro What is the nearest s	L: 1 Neat o	From 2 cement 2 center 20 contamination:	ft. to 2 Cement grout ft., From	300 (3 Benton	ft., Fr	om	Plug 14 A	t
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank	.: 1 Neat of m0	From cement 2 ft. to 20 . contamination:	ft. to 2 Cement grout ft., From 7 Pit privy	3 Benton	ft., Fr ft., Fr hite 4 o 10 Live	om	ft. to Pluo 14 Al	tt. ft. toft. bandoned water well ii well/Gas well
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines	m0	From cement 2 ft. to 20 contamination: al lines pool	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagor	3 Benton	10 Live	om	ft. to Pluo 14 Al	tt. ft. toft. bandoned water well ii well/Gas well
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight set	m0	From cement 2 ft. to 20 contamination: al lines pool age pit	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Benton	10 Live 12 Fendance 13 Inse	om	14 A 215 O 16 O	tt. ft. toft. bandoned water well well/Gas well
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight set	m0	From cement 2 ft. to 20 contamination: al lines pool age pit t of wate:	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard r well	3 Benton ft. 1	10 Live 12 Fent 13 Inse	om	14 Al 15 O 16 O	ther (specify below)
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight set Direction from well? FROM TO	t: 1 Neat of m0	From cement 2 ft. to 20 contamination: al lines pool age pit t of wate: LITHOLOGIC L	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard r well	3 Benton	10 Live 12 Fendance 13 Inse	om	14 A 215 O 16 O	ther (specify below)
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight set Direction from well? FROM TO 0 2	u: 1 Neat of m0	From cement 2 ft. to 20 contamination: al lines pool age pit t of wate: LITHOLOGIC L	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard r well	3 Benton ft. 1	10 Live 12 Fent 13 Inse	om	14 Al 15 O 16 O	ther (specify below)
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight set Direction from well? FROM TO 0 2 2 93	urfac	From cement 2 .ft. to 20 contamination: al lines pool age pit t of wate: LITHOLOGIC L	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard r well	3 Benton ft. 1	10 Live 12 Fent 13 Inse	om	14 Al 15 O 16 O	ther (specify below)
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight set Direction from well? FROM TO 0 2 2 93 93 156	urfac	From cement 2 .ft. to 20 contamination: al lines pool age pit t of wate: LITHOLOGIC L e	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard r well	3 Benton ft. 1	10 Live 12 Fent 13 Inse	om	14 Al 15 O 16 O	ther (specify below)
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight set Direction from well? FROM TO 0 2 2 93 93 156 156 257	ource of possible 4 Laters 5 Cess ver lines 6 Seep Southeas surfac clay sandy med to	From cement 2 .ft. to 20 contamination: al lines pool lage pit t of wate: LITHOLOGIC L e clay large sai	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard r well .OG	3 Benton ft. 1	10 Live 12 Fent 13 Inse	om	14 Al 15 O 16 O	ther (specify below)
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight set Direction from well? FROM TO 0 2 2 93 93 156	ource of possible 4 Laters 5 Cess ver lines 6 Seep Southeas surfac clay sandy med to	From cement 2 .ft. to 20 contamination: al lines pool lage pit t of wate: LITHOLOGIC L e clay large sai	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard r well	3 Benton ft. 1	10 Live 12 Fent 13 Inse	om	14 Al 15 O 16 O	ther (specify below)
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight set Direction from well? FROM TO 0 2 2 93 93 156 156 257	ource of possible 4 Laters 5 Cess ver lines 6 Seep Southeas surfac clay sandy med to	From cement 2 .ft. to 20 contamination: al lines pool lage pit t of wate: LITHOLOGIC L e clay large sai	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard r well .OG	3 Benton ft. 1	10 Live 12 Fent 13 Inse	om	14 Al 15 O 16 O	ther (specify below)
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight set Direction from well? FROM TO 0 2 2 93 93 156 156 257	ource of possible 4 Laters 5 Cess ver lines 6 Seep Southeas surfac clay sandy med to	From cement 2 .ft. to 20 contamination: al lines pool lage pit t of wate: LITHOLOGIC L e clay large sai	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard r well .OG	3 Benton ft. 1	10 Live 12 Fent 13 Inse	om	14 Al 15 O 16 O	ther (specify below)
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight set Direction from well? FROM TO 0 2 2 93 93 156 156 257	ource of possible 4 Laters 5 Cess ver lines 6 Seep Southeas surfac clay sandy med to	From cement 2 .ft. to 20 contamination: al lines pool lage pit t of wate: LITHOLOGIC L e clay large sai	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard r well .OG	3 Benton ft. 1	10 Live 12 Fent 13 Inse	omom 4 Other .Holeft., From estock pens il storage tilizer storage acticide storage any feet?	14 Al 15 0 16 0	ther (specify below)
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight set Direction from well? FROM TO 0 2 2 93 93 156 156 257	ource of possible 4 Laters 5 Cess ver lines 6 Seep Southeas surfac clay sandy med to	From cement 2 .ft. to 20 contamination: al lines pool lage pit t of wate: LITHOLOGIC L e clay large sai	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard r well .OG	3 Benton ft. 1	10 Live 12 Fent 13 Inse	omom 4 Other .Holeft., From estock pens il storage tilizer storage acticide storage any feet?	14 Al 15 O 16 O	ther (specify below)
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight set Direction from well? FROM TO 0 2 2 93 93 156 156 257	ource of possible 4 Laters 5 Cess ver lines 6 Seep Southeas surfac clay sandy med to	From cement 2 .ft. to 20 contamination: al lines pool lage pit t of wate: LITHOLOGIC L e clay large sai	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard r well .OG	3 Benton ft. 1	10 Live 12 Fent 13 Inse	omom 4 Other Holeft., From estock pens il storage tillizer storage any feet?	14 Al 15 0 16 0 175 LITHOLOG	ther (specify below)
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight set Direction from well? FROM TO 0 2 2 93 93 156 156 257	ource of possible 4 Laters 5 Cess ver lines 6 Seep Southeas surfac clay sandy med to	From cement 2 .ft. to 20 contamination: al lines pool lage pit t of wate: LITHOLOGIC L e clay large sai	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard r well .OG	3 Benton ft. 1	10 Live 12 Fent 13 Inse	om	14 AI 15 0 16 0 175 LITHOLOG	ther (specify below)
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight set Direction from well? FROM TO 0 2 2 93 93 156 156 257	ource of possible 4 Laters 5 Cess ver lines 6 Seep Southeas surfac clay sandy med to	From cement 2 .ft. to 20 contamination: al lines pool lage pit t of wate: LITHOLOGIC L e clay large sai	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard r well .OG	3 Benton ft. 1	10 Live 12 Fent 13 Inse	om	14 AI 15 0 16 0 175 LITHOLOG	ther (specify below)
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight set Direction from well? FROM TO 0 2 2 93 93 156 156 257	ource of possible 4 Laters 5 Cess ver lines 6 Seep Southeas surfac clay sandy med to	From cement 2 .ft. to 20 contamination: al lines pool lage pit t of wate: LITHOLOGIC L e clay large sai	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard r well .OG	3 Benton ft. 1	10 Live 12 Fent 13 Inse	om	14 Al 15 0 16 0 175 LITHOLOG	ther (specify below)
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight set Direction from well? FROM TO 0 2 2 93 93 156 156 257	ource of possible 4 Laters 5 Cess ver lines 6 Seep Southeas surfac clay sandy med to	From cement 2 .ft. to 20 contamination: al lines pool lage pit t of wate: LITHOLOGIC L e clay large sai	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard r well .OG	3 Benton ft. 1	10 Live 12 Fent 13 Inse	om	14 AI 15 0 16 0 175 LITHOLOG	ther (specify below)
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight set Direction from well? FROM TO 0 2 2 93 93 156 156 257	ource of possible 4 Laters 5 Cess ver lines 6 Seep Southeas surfac clay sandy med to	From cement 2 .ft. to 20 contamination: al lines pool lage pit t of wate: LITHOLOGIC L e clay large sai	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard r well .OG	3 Benton ft. 1	10 Live 12 Fent 13 Inse	om	14 AI 15 0 16 0 175 LITHOLOG	ther (specify below)
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well? FROM TO 0 2 2 93 93 156 156 257 257 300	ource of possible 4 Laters 5 Cess ver lines 6 Seeps Southeas surfac clay sandy med to 30% gr	From cement 2 .ft. to 20 contamination: al lines pool age pit t of wate: LITHOLOGIC Le clay large sai avel, 70%	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard r well .OG nd sandy clay ON: This water well wa	3 Benton ft.	10 Live 11 Fue 12 Fert 13 Inse How m	omom 4 Other Holeft., From estock pens il storage dilizer storage any feet?	14 AI 15 O 16 O 175 LITHOLOG C 1 A 19 VISION	ft. to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight set Direction from well? FROM TO 0 2 2 93 93 156 156 257 257 300	ource of possible 4 Later 5 Cess ver lines 6 Seep Southeas surfac clay sandy med to 30% gr	From cement 2 It. to 20 contamination: al lines pool age pit t of wate: LITHOLOGIC L e Clay large sai avel, 70%	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard r well .OG nd sandy clay ON: This water well wa	3 Benton ft.	10 Live 11 Fue 12 Fert 13 Inse How m TO	om	14 AI 15 0 16 0 175 LITHOLOG C 1 A 19 VISION I PONIN	ft. to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight set Direction from well? FROM TO 0 2 2 93 93 156 156 257 257 300 CONTRACTOR'S completed on (mo/da) Water Well Contractor	ource of possible 4 Laters 5 Cess ver lines 6 Seeps Southeas surfac clay sandy med to 30% gr	From cement 2 it. to 20 contamination: al lines pool age pit t of wate: LITHOLOGIC L e clay large sai avel, 70%	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard r wellog ON: This water well wa 987 This Water Well	3 Benton ft. FROM FROM S (1) Construction	10 Live 11 Fue 12 Fert 13 Inse How m TO	om	14 AI 15 0 16 0 175 LITHOLOG USION Plugged und best of my kn	ft. to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight set Direction from well? FROM TO 0 2 2 93 93 156 156 257 257 300 CONTRACTOR'S completed on (mo/day Water Well Contractor	ource of possible 4 Laters 5 Cess ver lines 6 Seeps Southeas surfac clay sandy med to 30% gr	From cement 20 Int. to 20 contamination: al lines pool age pit t of wate: LITHOLOGIC Le Clay large sai avel, 70% C'S CERTIFICATIO ust 27, 19 118 le Water 1	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard r welloG ON: This water well wa 987 This Water We Well Service	3 Benton TROM FROM S (1) Construct In Co	ift., Fr ft., Fr ft., Fr nite io. 10 Live 11 Fue 12 Fer 13 Inse How m TO Cled, (2) reand this red s completed by (sign	om	14 AI 15 0 16 0 175 LITHOLOG VISION Plugged und best of my kn Augus	ft. to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight set Direction from well? FROM TO 0 2 2 93 93 1.56 1.56 2.57 2.57 3.00 CONTRACTOR'S completed on (mo/day Water Well Contractor under the business na INSTRUCTIONS: Use	ource of possible 4 Laters 5 Cess ver lines 6 Seeps Southeas surfac clay sandy med to 30% gr OR LANDOWNER (year) Aug 's License No ame of Carli ypewriter or ball poin	From cement 20 Int. to 20 contamination: al lines pool age pit t of wate: LITHOLOGIC Le Clay large sai avel, 70% P'S CERTIFICATIO ust 27, 19 118 le Water in pen. PLEASE PRES.	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard r well OG ON: This water well wa 987 This Water We Well Service SFIRMLY and PRINT clear	3 Benton TROM FROM S (1) Construct In Co	tt., Fr ft., Fr ft., Fr nite io. 10 Live 11 Fue 12 Fer 13 Inse How m TO Cled, (2) reand this rec s completed by (sign planks under	om	14 AI 15 0 16 0 175 LITHOLOG VISION Plugged und best of my kn Augus act answers. Ser	ft. to