


1 LOCATION OF WATER WELL:	Fraction <b>NE</b> ¼ <b>NW</b> ¼ <b>SW</b> ¼	Section Number <b>29</b>	Township Number <b>T 34 S</b>	Range Number <b>R 37 EW</b>
---------------------------	---	-----------------------------	----------------------------------	--------------------------------

Distance and direction from nearest town or city street address of well if located within city?

**7½ MILES SOUTH & 3/4 MILES WEST OF HUGOTON, KS**

2 WATER WELL OWNER: <b>BEREXCO INC.</b>	<b>#1-29 STURDY</b>
RR#, St. Address, Box #: <b>970 4th FINANCIAL CTR.</b>	Board of Agriculture, Division of Water Resources
City, State, ZIP Code: <b>WICHITA, KS 67202</b>	Application Number: <b>950358</b>

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL <b>380</b> ft. ELEVATION:
	Depth(s) Groundwater Encountered 1. <b>160</b> ft. 2. . ft. 3. . ft. WELL'S STATIC WATER LEVEL <b>160</b> ft. below land surface measured on mo/day/yr <b>10-19-95</b> Pump test data: Well water was <b>180</b> ft. after <b>1</b> hours pumping <b>90</b> gpm Est. Yield <b>90</b> gpm: Well water was . ft. after . hours pumping . gpm Bore Hole Diameter <b>9½</b> in. to <b>380</b> ft. and . in. to . ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot <b>6</b> Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes. . No. <b>X</b> ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes <b>X</b> No

5 TYPE OF BLANK CASING USED:	5 Wrought iron 8 Concrete tile CASING JOINTS: Glued <b>X</b> Clamped
1 Steel 3 RMP (SR)	6 Asbestos-Cement 9 Other (specify below) Welded
<b>2</b> PVC 4 ABS	7 Fiberglass Threaded
Blank casing diameter <b>5</b> in. to <b>380</b> ft. Dia . in. to . ft. Dia . in. to . ft.	
Casing height above land surface <b>24</b> in. weight <b>2.902</b> lbs./ft. Wall thickness or gauge No. <b>.280 SDR 21</b>	
TYPE OF SCREEN OR PERFORATION MATERIAL:	<b>7</b> PVC 10 Asbestos-cement
1 Steel 3 Stainless steel 5 Fiberglass <b>8</b> RMP (SR) 11 Other (specify)	
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE:	<b>8</b> Saw cut 11 None (open hole)
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes	
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	
SCREEN-PERFORATED INTERVALS: From <b>320</b> ft. to <b>380</b> ft. From . ft. to . ft.	
GRAVEL PACK INTERVALS: From <b>280</b> ft. to <b>380</b> ft. From . ft. to . ft.	

6 GROUT MATERIAL:	<b>1</b> Neat cement 2 Cement grout 3 Bentonite <b>4</b> Other <b>HOLE PLUG</b>
Grout Intervals: From . ft. to <b>16</b> ft. From . ft. to . ft. From . ft. to . ft.	
What is the nearest source of possible contamination:	10 Livestock pens 14 Abandoned water well
1 Septic tank 4 Lateral lines 7 Pit privy <b>15</b> Oil well/Gas well	
2 Sewer lines 5 Cess pool 8 Sewage lagoon 16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage	
Direction from well? <b>to Southeast</b>	How many feet? <b>300</b>

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<b>0</b>	<b>13</b>	<b>SAND</b>			
<b>13</b>	<b>56</b>	<b>SANDY CLAY</b>			
<b>56</b>	<b>76</b>	<b>SAND</b>			
<b>76</b>	<b>175</b>	<b>SANDY CLAY</b>			
<b>175</b>	<b>179</b>	<b>CALICHE ROCK</b>			
<b>179</b>	<b>221</b>	<b>SAND</b>			
<b>221</b>	<b>227</b>	<b>SANDY CLAY</b>			
<b>227</b>	<b>257</b>	<b>SAND &amp; CLAY STREAKS</b>			
<b>257</b>	<b>373</b>	<b>SAND &amp; GRAVEL</b>			
<b>373</b>	<b>380</b>	<b>CLAY &amp; GRAVEL STREAKS</b>			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <b>(1)</b> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <b>10-19-95</b> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <b>KWWCL-430</b> This Water Well Record was completed on (mo/day/yr) <b>10-19-95</b> under the business name of <b>HOWARD DRLG.CO.BOX 806 BEAVER, OK 73932</b> by (signature) <i>Howard Drilg Co.</i>
--