WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	County	Fraction	Sec	ion number	Township number	Range number	
1. Location of well:	3 levens	SW 1/4 SW 1/4 7/W	/1/4	18	1 34 s	R 37	E/W
2. Distance and dire	ection from nearest town or city: /C	1/2 miles SW	3. Owner of	well:	Mr. wade Elli	017	
Street address of well location if in city: 05 HUGOTO71 R.R. or street: City, state, zip code:					R. R.		_,
4. Locate with "X" in section below: Sketch map:					HUGOTON, Kansas 67851 6. Bore hole dia. Le in. Completion date 11-19-70		
<u> </u>	<u> </u>				Well depth 260 ft.		
NW NE					7 Cable tool _X Rotary Driven Dug Hollow rod Jetted Bored Reverse rotary		
w x !	i E				8. Use: Domestic F		
					Irrigation Air conditioning X Stock Lawn Oil field water Other		
SW SE					9. Casing: Material Height: Above or below		
	<u> </u>				Threaded Welded RMP P∨C <u>\$¢££</u>	Surface 18	in
	S Mile 				Dia. 5 in. to 260 ft. de		
5. Type and color of material				m To	Diain. to ft. depth gage No 250 10. Screen: Manufacturer's name \$ 1000 mc		
<u> </u>	/ a'1f			0 4			
Gray Sandy 811T Turning light tan silt Calichie nodes				-	Type Saw Cut Dia. 5" Slot/gauze 18" Length 20'		
					Set between 240 ft.	ft. and <u>260</u>	ft.
Clay brown "Calichie nodevels				P 34	Gravel pack? Size range of material ½ = ½		
Sand brown Fine Grarel				# 70	11. Static water level: mo./day/yr		
Clay Win = Grarel Stickey brown				0 84	12. Pumping level below land surfaces: 136 ft. after hrs. pumping3_ g.p.m.		
U	Corse Grare			4 120	ft. after	hrs. pumping	g.p.m.
	- liney Wooli	•		0 140	Estimated maximum yield — 13. Water sample submitted:		/day/yr
	+ Corse Sar		14	0 151	Yes No 14. Well head completion:	Date	
Calichie hard adliehie Stringers				1 17%	Pitless adapter Inches above grade		
0 /			 	110	15. Well grouted? X With: Neat cement	BentoniteX_C	oncrete
Sand + Grare/ Corse				6 220	Depth: From ft. to ft. with 5/ab.		
Grarel + Clays hard Calichie STringer				0 260	16. Nearest source of possib	,	2
soft clays + silty fine sand brown				0 300	Well disinfected upon comp	etion? <u>X</u> Yes _	No
	v T		<i>'</i>		17. Pump: Manufacturer's name	Not installed	
				<u> </u>	Model number	HP Volt	
					Length of drop pipe Type: Windmin	- ir. capacity	g.p.m.
					Submersible	Turbine	
	(Use a second s	heet if needed)			Jet Centrifugal	Reciprod	cating
18. Elevation:	19. Remarks:	,			20. Water well contractor's	certification:	'
					This well was drilled under r is true to the best of my kno	• •	· .
Topography:					Paul Slove	em Drillia 18	27
Hill ✓ Slope					Business name Address	, Kansa	nse No.
Upland					(2.090	- 1	1-23-7/
Valley					Signed Authorized re	presentative	<u>, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>