


1 LOCATION OF WATER WELL: County: STEVENS	Fraction NW ¼ NW ¼ NW ¼	Section Number 14	Township Number T 34 S	Range Number R 37W EW
--	----------------------------	----------------------	---------------------------	--------------------------

Distance and direction from nearest town or city street address of well if located within city?

5 MILES SOUTHEAST OF HUGOTON, KS

2 WATER WELL OWNER: BEREXCO INC RR#, St. Address, Box # : 100 N BROADWAY STE. 970 City, State, ZIP Code : WICHITA KS, 67202-2209	#11-14 Deboyler Board of Agriculture, Division of Water Resources Application Number: 940467
--	--

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 	4 DEPTH OF COMPLETED WELL 380 ft. ELEVATION: Depth(s) Groundwater Encountered 1 140 ft. 2 150 ft. 3 11-24-94 ft. WELL'S STATIC WATER LEVEL 140 ft. below land surface measured on mo/day/yr 11-24-94 Pump test data: Well water was 150 ft. after 1 hours pumping 110 gpm Est. Yield 110 gpm: Well water was 150 ft. after 1 hours pumping 110 gpm Bore Hole Diameter 11 in. to 380 ft., and in. to ft. WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 8 Air conditioning 11 Injection well 2 Irrigation 4 Industrial 7 Lawn and garden only 9 Dewatering 12 Other (Specify below) Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes X No
---	--

5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Blank casing diameter 6 in. to 380 ft., Dia 24 in. weight 2.902 lbs./ft. Wall thickness or gauge No. 316 SDR 21 Casing height above land surface 24 in. weight 2.902 lbs./ft. Wall thickness or gauge No. 316 SDR 21 TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 240 ft. to 380 ft. From ft. to ft. GRAVEL PACK INTERVALS: From 220 ft. to 380 ft. From ft. to ft.	CASING JOINTS: Glued X Clamped Welded Threaded
---	--

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other HOLE PLUG Grout Intervals: From 1 ft. to 20 ft. From ft. to ft. From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage Direction from well? West How many feet? 600

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	SANDY CLAY	230	237	SAND
2	7	SANDY CLAY	237	245	CLAY
7	56	CLAY	245	275	SAND
56	66	SANDY CLAY	275	313	CLAY
66	76	SAND	313	325	SANDY CLAY
76	83	CLAY	325	350	CLAY
83	95	SANDY CLAY	350	370	SAND & SANDY CLAY
95	122	SAND	370	380	BLUE CLAY
122	128	SANDY CLAY			
128	145	SAND			
145	155	CLAY			
155	167	SANDY CLAY			
167	177	SAND			
177	212	SANDY CLAY			
212	230	CLAY			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 11-24-94 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. KWWCL-430 This Water Well Record was completed on (mo/day/yr) 11-24-94 under the business name of HOWARD DRUG CO. BOX 806 BEAVER, OK 73932 by (signature)
--

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.