

WATER WELL RECORD		Form WWC-5	KSA 82a-1212		
1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: STEVENS		SW 1/4 NW 1/4 SW 1/4	7	T 34 S	R 38 E/W
Distance and direction from nearest town or city street address of well if located within city? 3 1/2 SOUTH & 1/2 WEST OF FEDERITA.					
2 WATER WELL OWNER: XXX XXXXX CAROLYN L. HARPER					
RR#, St. Address, Box # : 107 SOUTH WASHINGTON			Board of Agriculture, Division of Water Resources		
City, State, ZIP Code : HUGOTON, KS 67951			Application Number: 42,935		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 540 ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL 236 ft. below land surface measured on mo/day/yr 7/25/97			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield gpm Well water was ft. after hours pumping gpm			
		Bore Hole Diameter 26 in. to 540 ft., and in. to ft.			
		WELL WATER TO BE USED AS:			
		5 Public water supply 8 Air conditioning 11 Injection well			
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)			
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well			
		Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes No			
5 TYPE OF BLANK CASING USED:					
1 Steel		3 RMP (SR)	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
2 PVC		4 ABS	6 Asbestos-Cement	9 Other (specify below)	Welded X
		7 Fiberglass			Threaded
Blank casing diameter 16 in. to 540 ft., Dia					
Casing height above land surface 12 in., weight 42.5 lbs./ft. Wall thickness or gauge No. 250					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel		3 Stainless steel	5 Fiberglass	7 PVC	10 Asbestos-cement
2 Brass		4 Galvanized steel	6 Concrete tile	8 RMP (SR)	11 Other (specify)
				9 ABS	12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot		3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter		4 Key punched	6 Wire wrapped	9 Drilled holes	
			7 Torch cut	10 Other (specify)	
SCREEN-PERFORATED INTERVALS:		From 380 ft. to 420 ft.	SCREEN 420 ft. to 540 ft.		
GRAVEL PACK INTERVALS:		From 20 ft. to 540 ft.			
6 GROUT MATERIAL:					
1 Neat cement		2 Cement grout	3 Bentonite	4 Other	
Grout Intervals: From 0 ft. to 20 ft.					
What is the nearest source of possible contamination:					
1 Septic tank		4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines		5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines		6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
				13 Insecticide storage	CROPLAND-NOTHING
					IMMEDIATE VICINITY
Direction from well?					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	200	SURFACE, SAND & CLAY			
200	380	SANDY BROWN CLAY W/FINE SAND			
380	480	FINE SAND			
480	540	FINE TO MED. SAND			
540	560	RED & BROWN CLAY			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 7/29/97 and this record is true to the best of my knowledge and belief. Kansas					
Water Well Contractor's License No. 225 This Water Well Record was completed on (mo/day/yr) 8/15/97					
under the business name of KTM DRILLING, INC. by (signature) [Signature]					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.					