KOLAR Document ID: 1584376

				Division of Water					
				ources App. N		Well ID	nge Number		
1 LOCATION OF WATER WELL: County:		Fraction 1/4 1/4 1/4	1/ ₄ Se	ction Numbe	1	Township Number Range Num T S R □ E			
				r Rural Address where well is located (if unknown, distance and					
Business: direction from nearest town or intersection): If at owner's address, check here:									
Address:									
Address:	Ct. t.	710							
City: 3 LOCATE WELL	State:	ZIP:							
WITH "X" IN				5 Latitude:(decimal degrees)					
SECTION BOX:	Depth(s) Groundwater Encountered: 1)			Longitude:(decimal degrees)					
N	2) ft. 3) ft., or 4) ☐ Dry V WELL'S STATIC WATER LEVEL:								
			Source for Latitude/Longitude: GPS (unit make/model:)						
NW NE	□ below land surface, measured on (mo-day-yr) □ above land surface, measured on (mo-day-yr)								
Y NE	Pump test data: Well water was ft.			☐ Land Survey ☐ Topographic Map					
W		s pumping		Online Mapper:					
SW SE		Well water was ft.							
3W 3E	after hours pumping gpm			6 Elevation :ft. ☐ Ground Level ☐ TOC					
S	Estimated Yield:gpm Bore Hole Diameter:in. toft. a			Source:					
mile	in. toft.			<u> </u>	Other				
7 WELL WATER TO BE USED AS:									
1. Domestic:		ter Supply: well ID		10. □ Oi	l Field Water Supply:	lease			
☐ Household		g: how many wells?		11. Test I	11. Test Hole: well ID				
Lawn & Garden	— 1 &				☐ Cased ☐ Uncased ☐ Geotechnical				
Livestock		g: well ID			12. Geothermal: how many bores?				
2. ☐ Irrigation3. ☐ Feedlot	9. Environmental Remediation: well ID				a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water				
4. ☐ Industrial	☐ Recovery		13. Other (specify):						
4. Industrial Recovery Injection 13. Other (specify):									
Water well disinfected? \square Yes \square No									
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter in. to									
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)									
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From									
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
Grout Intervals: From									
Nearest source of possible contamination: No potential source of contamination within 200 ft.									
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage									
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well ☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well									
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify) □ Other (Specify)									
Direction from well?					ft.				
10 FROM TO	LITHOLOG	GIC LOG	FROM	ТО	LITHO. LOG (cont.)	or PLUGGIN	IG INTERVALS		
			1						
			+						
				 					
			Notes:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged									
under my jurisdiction and was completed on (mo-day-year)									
under the business name of									
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.									
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.									
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212									