

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number	
County: <u>Morton</u>		<u>SE 1/4</u> <u>SE 1/4</u> <u>NE 1/4</u>	<u>16</u>	<u>T 34</u> <u>S</u>	<u>R 39</u> <u>EW</u>	
Distance and direction from nearest town or city street address of well if located within city? <u>5 South of Federita 4 West 1/2 North</u>						
2 WATER WELL OWNER:		<u>McCalp</u> <u>Gabbert &amp; Jones</u> RR#, St. Address, Box # : <u>333 E. English Ste. 215</u> Board of Agriculture, Division of Water Resources City, State, ZIP Code : <u>Wichita, KS 67202</u> Application Number: <u>T88-588</u>				
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>320</u> ft. ELEVATION:				
		Depth(s) Groundwater Encountered   1.                      ft. 2.                      ft. 3.                      ft. WELL'S STATIC WATER LEVEL <u>.200</u> ft. below land surface measured on mo/day/yr <u>12-5-88</u> Pump test data: Well water was                      ft. after                      hours pumping                      gpm Est. Yield                      gpm: Well water was                      ft. after                      hours pumping                      gpm Bore Hole Diameter                      in. to                      ft. and                      in. to                      ft. WELL WATER TO BE USED AS:    5 Public water supply    8 Air conditioning    11 Injection well 1 Domestic                      3 Feedlot                      6 <u>Oil field water supply</u> 9 Dewatering                      12 Other (Specify below) 2 Irrigation                      4 Industrial                      7 Lawn and garden only    10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes                      No                      ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes                      No				
		5 TYPE OF BLANK CASING USED:				
		1 Steel                      3 RMP (SR)                      5 Wrought iron                      8 Concrete tile                      CASING JOINTS: Glued                      Clamped 2 PVC                      4 ABS                      6 Asbestos-Cement                      9 Other (specify below)                      Welded 7 Fiberglass                      Threaded				
		Blank casing diameter <u>5</u> in. to <u>220</u> ft., Dia                      in. to                      ft., Dia                      in. to                      ft. Casing height above land surface                      in., weight                      lbs./ft. Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL: <u>7 PVC</u> 10 Asbestos-cement 1 Steel                      3 Stainless steel                      5 Fiberglass                      8 RMP (SR)                      11 Other (specify) 2 Brass                      4 Galvanized steel                      6 Concrete tile                      9 ABS                      12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:                      5 Gauzed wrapped <u>8 Saw cut</u> 11 None (open hole) 1 Continuous slot                      3 Mill slot                      6 Wire wrapped                      9 Drilled holes 2 Louvered shutter                      4 Key punched                      7 Torch cut                      10 Other (specify)				
SCREEN-PERFORATED INTERVALS:		From <u>220</u> ft. to <u>320</u> ft., From                      ft. to                      ft. From                      ft. to                      ft., From                      ft. to                      ft. GRAVEL PACK INTERVALS:    From                      ft. to                      ft., From                      ft. to                      ft. From                      ft. to                      ft., From                      ft. to                      ft.				
6 GROUT MATERIAL:		1 Neat cement                      2 Cement grout                      3 Bentonite                      4 Other Grout Intervals: From                      ft. to                      ft., From                      ft. to                      ft., From                      ft. to                      ft. What is the nearest source of possible contamination: 1 Septic tank                      4 Lateral lines                      7 Pit privy                      10 Livestock pens                      14 Abandoned water well 2 Sewer lines                      5 Cess pool                      8 Sewage lagoon                      11 Fuel storage                      15 Oil well/Gas well 3 Watertight sewer lines    6 Seepage pit                      9 Feedyard                      12 Fertilizer storage                      16 Other (specify below) 13 Insecticide storage Direction from well? <u>Southwest</u> How many feet? <u>300</u>				
FROM	TO	LITHOLOGIC LOG		FROM	TO	PLUGGING INTERVALS
320	190	Sand                      36 CF				
190	170	Cement                      5.44 CF				
170	23	Sand                      41 CF				
23	3	Cement                      5.44 CF				
3	0	Topsoil                      .33 CF				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) <u>reconstructed</u> completed on (mo/day/year) <u>12-29-88</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>142</u> This Water Well Record was completed on (mo/day/yr) <u>1-4-89</u> under the business name of <u>T &amp; W Water Well Service, Inc.</u> by (signature) <u>[Signature]</u>						
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320. Telephone: 913-296-5514. Send one to WATER WELL OWNER and retain one for your records.						

OFFICE USE ONLY

T

R

EW

SEC.

1/4

1/4

1/4