		WELL RECORD	Form WWC					
1 LOCATION OF WATER WELL:	Fraction	07	· 1 ~	ection Number 32	Township Nu		Range Nu	1
County: Morton Distance and direction from nearest town of	or city street add	1/4 SE	, , ,		т 34	S	R 39	E/W
	•		-					
From Fatereta 8 mi		TTES MEST 20	O. MOLE	1				112.
2 WATER WELL OWNER: Dale Eas							Dt. 1-1 4 144-4	
RR#, St. Address, Box # : So. Star						•	Division of Water	Hesources
City, State, ZIP Code : Rolla, K			221		Application			
3 LOCATE WELL'S LOCATION WITH 4 AN "X" IN SECTION BOX:								
NDe		ter Encountered 1						
iŧ		ATER LEVEL						
NW NE		est data: Well water						
		. gpm: Well water						
		r. 10 . 5./.8 in. to						
≥	ELL WATER TO				8 Air conditioning		Injection well	
SW SE	Domestic	3 Feedlot			9 Dewatering		Other (Specify b	elow)
1 1 7 1 7 1 1	2 Irrigation	4 Industrial			Observation wel			*
	as a chemical/bad	cteriological sample	submitted to					le was sub-
	itted				er Well Disinfected			
5 TYPE OF BLANK CASING USED:	5	Wrought iron	8 Con	crete tile	CASING JOIN			
Steel 3 RMP (SR)		Asbestos-Cement	9 Othe	er (specify below)		led . 🗶	
2 PVC 4 ABS	7	Fiberglass					aded	
Blank casing diameter 6 . 5 / 8 in.	to 4 / 1	ft., Dia	in.	to	ft., Dia		in. to	ft.
Casing height above land surface		., weight . !	.2.09	Ibs./f	t. Wall thickness o	r gauge N	o' '•'T'oo' ' ' '	
TYPE OF SCREEN OR PERFORATION N				PVC		estos-ceme		
Steel 3 Stainless st	eel 5	Fiberglass	8 F	RMP (SR)				
2 Brass 4 Galvanized		Concrete tile	9 /	ABS	12 None	e used (op	en hole)	
SCREEN OR PERFORATION OPENINGS			ed wrapped		8 Saw cut		11 None (open	hole)
1 Continuous slot 3 Mill slot		6 Wire wrapped			9 Drilled holes			
2 Louvered shutter 4 Key	punched	Torch			10 Other (specify)	· · · · · · ·		
SCREEN-PERFORATED INTERVALS:		ft. to						
	From	ft. to .		ft., Fron	1	ft. t	0	
GRAVEL PACK INTERVALS:	From 230	ft. to .	331	ft., Fron	1	ft. t	o	ft.
	From				1	ft. t	О	ft.
6 GROUT MATERIAL: 1 Neat cerr	nent 🕜	Cement grout	3 Ber	itonite 4 (Other			
Grout Intervals: FromQft.	to 10	ft., From	ft.	to	ft., From		ft. to	
What is the nearest source of possible cor				10 Livest	ock pens	14 A	bandoned water	well
1 Septic tank 4 Lateral I	ines	7 Pit privy		11 Fuel s	torage	15 O	il well/Gas well	
2 Sewer lines 5 Cess po	юl	8 Sewage lag	oon	12 Fertiliz	er storage	16 O	ther (specify belo	ow)
3 Watertight sewer lines 6 Seepage pit		9 Feedyard		13 Insecticide storage				
Direction from well?				How man	y feet?			
FROM TO	LITHOLOGIC LO	G	FROM	то	L L	ITHOLOG	IC LOG	
Test lo	og attached							
		1						
								1 () () ()
7 CONTRACTOR'S OR LANDOWNERS	CERTIFICATION	l. This water "		mustad (0)			don mar huntantini	n and
7 CONTRACTOR'S OR LANDOWNER'S	- REMITHICATION	i: Inis water well w	as (T) const	ructed, (2) recor	nstructed, or (3) pl	uggea und	der my jurisdiction	n and was
completed on (mo/day/year) 4-8-								er. Kansas
Water Well Contractor's License No. 208			vell Record					
under the business name of Minter	Wilson Dri	IIIng Co.	A DOMET-I	by (signati	ure) J. H Sear	aman		Condition
INSTRUCTIONS: Use typewriter or ball pointhree copies to Kansas Department of Health								
OWNER and retain one for your records.			arient, Envir	minerital decitog	y Jection, Topeka,		Centra one to WA	

MINTER-WILSON DRILLING CO. Complete Installation

Phone 276-8269 GARDEN CITY, KANSAS 67846 P.O. Box A EQ

Dale Eastwood Morton Co. 4-5-85

Location: SE 32-34-39

From Fetereta 8 miles So to 2 Nd. road 5 miles West 300! North

Static water level 180

Test # 1

0 / Q 5 Top soil

o 5 72 Brown sandy clay

v 72 130 Brown clay

4130 185 Brown sandy clay

ol 185 195 Brown clay Hard.

#195 217 Brown sandy clay

o 217 260 Brown clay

260 274 Brown sandy clay small hard streaks

274 291 Fine to medium sand, streak of clay & Brown rock (30%)

01291 331 Brown sandy clay

ol 331 398 Brown clay. Hard streak

o4398 410 Brown clay & fine sand mixed

oi 410 420 Brown & White clay

M 420 425 Red bed