				ER WELL RECORD	D Form W	VC-5 KSA	82a-1212			
1 LOCAT		TER WELL:	Fraction			Section Nun	nber Townsh	nip Number	Range Number	
County:			SW 1		NE 1/4	10	Т Т	34 s	R 39 E/W	
Distance	and direction	from nearest tov	wn or city street	address of well if lo	ocated within o	ity?				
Fro	m Fede:	rita 3 <b>W</b> e	est on Hw	y 56 2 Sou	ıth 💈 We	st Sout	h into			
2 WATE	R WELL OW	NER: #C-1	Stainbr	ook Gab	bert &	Jones				
_	Address, Bo				B E. Eng		Poord	lof Agricultura T	Nicion of Michael December	
	e, ZIP Code	Λ <i>π</i> .			hita, K		)	=	Division of Water Resources	
			11					ation Number:		
AN "X	IN SECTION	N BOX	4 DEPTH OF	COMPLETED WEL	L400.	ft. EL	EVATION:			
		1	Depth(s) Groun	dwater Encountered	d <u>1.</u>	260	.ft. 2	ft. 3		
7	!		WELL'S STATI	C WATER LEVEL .	140	ft. below land	d surface measure	d on mo/day/yr	5-12-90	
		l dec	Pun	np test data: Well	water was	150	ft. after 2	hours ou	mping 80 gpm	
	NW	N <b>I</b> K	Est. Yield	90 gpm: Well	water was		ft after	hours pur	mping gpm	
.	- !		Bore Hole Dian	notor 9 in	40	0	A and	Hours pur	toft.	
Mile A	<del></del> i	E							1	
-	i			TO BE USED AS:		water supply		•	Injection well	
1 1	SW	SE	1 Domestic		6 Oil field	Lwater supply	y 9 Dewatering	g 12 (	Other (Specify below)	
	1	1	2 Irrigation							
i l	i		Was a chemical	l/bacteriological sam	ple submitted	to Departmen	t? YesNo	.X; If yes,	mo/day/yr sample was sub-	
1 -			mitted				Water Well Disin	fected? Yes X	No	
5 TYPE	OF BLANK (	ASING USED:		5 Wrought iron	8 C	oncrete tile			. X Clamped	
		3 RMP (S	R)	6 Asbestos-Cerr		her (specify t			ed	
2 P		4 ABS	· · · · ·							
			300	7 Fiberglass		• • • • • • • • • •		Threa	ded	
Blank cas	ing diameter		.in. to	ft., Dia	ir	. to		i	n. to ft.	
Casing he	ight above la	and surface	<b>14</b>	in., weight	200		lbs./ft. Wall thickn	ess or gauge No	o <b>0 - 265</b>	
Casing height above land surface. 14 in., weight 200 lbs./ft. Wall thickness or gauge No. 0.265.  TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement										
1 Steel 3 Stainless steel 5 Fiberglass						8 RMP (SR)		11 Other (specify)		
2 Brass 4 Galvanized steel 6 Concrete tile						•			None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrap						(apa., 110.10)		' I		
1 Continuous slot 3 Mill slot 6 Wire wrapped								_	11 None (open noie)	
					• • •		9 Drilled ho			
	uvered shutt		ey punched	300 f	orch cut		10 Other (sp	ecify)		
SCHEEN-	PERFORATI	ED INTERVALS:			to <del></del> .	ft.,	From	ft. to	o	
			From	ft.	to	ft.,	From	ft. to	o	
,	GRAVEL PA	CK INTERVALS:	From	130 ft.	to 400	ft.,	From	ft. to	o	
			From		to	ft.,	From	ft. to	ft.	
6 GROU	T MATERIAL	: } Neat o	cement	2 Cement grout	3 B	entonite	4 Other . Ho]	e pluq .		
Grout Inte	rvals: From	n <b>0</b>	.ft. to 20.			ft. to.	ft From	m	. ft. to	
What is th				, , , , , , , , , , , , , , , , , , , ,					pandoned water well	
What is the nearest source of possible contamination:						· ·				
1 Septic tank 4 Lateral lines 7 Pit privy						11 Fuel storage			<b>}</b>	
					lagoon	12 Fertilizer storage 16 Ot		her (specify below)		
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage										
		Southwest				How	many feet?	300		
FROM	ТО		LITHOLOGIC	LOG	FROI	и то		PLUGGING IN	ITERVALS	
0	140	Overbur	den							
140	160	Medium a	sand							
160	180	Medium s		· · · · · · · · · · · · · · · · · · ·						
180	200		nd and cl	av					7.77	
200	300	Clay	unu Cl		<del></del>					
	·		- A							
300	380		nd and cl						1 Jan 11	
380	400	Fine sai	nd and c1	Lay						
<del></del> -										
			7.77.20							
	· · · · · · · · · · · · · · · · · · ·					<del></del>				
									999 1997 / FEB	
7 CONTI	RACTOR'S	R LANDOWNER	R'S CERTIFICAT	ION: This water we	ell was (1) con	structed. (2)	reconstructed or	(3) plugged under	er my jurisdiction and was	
 completed	on (mo/day/	vear) 5-	12-90							
Water Wel		• ,				. and this	ted on (ma/day)	5-16-9	wledge and belief. Kansas	
	Contractor's	s License No	142	This Wate	er Well Record	was comple	ted on (mo/day/yr)	5-16-9	00	