

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number				
County: MORTON		NW ¼ NW ¼ SE ¼	32	T 34 S	R 41 E/W				
Distance and direction from nearest town or city street address of well if located within city?									
2 1/8 MILES SOUTHWEST WILBURTON, KS.									
2 WATER WELL OWNER: OXY USA			# 3 PEARSON "C"						
RR#, St. Address, Box # : BOX 26100			Board of Agriculture, Division of Water Resources						
City, State, ZIP Code : OKLAHOMA CITY, OK 73126-0100			Application Number: 960050						
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 260 ft. ELEVATION:							
<div style="text-align: center;">N 1 Mile W E S</div> <table border="1" style="margin: auto; text-align: center;"><tr><td>NW</td><td>NE</td></tr><tr><td>SW</td><td>SE</td></tr></table>		NW	NE	SW	SE	Depth(s) Groundwater Encountered 1. 135 ft. 2. ft. 3. ft.			
		NW	NE						
		SW	SE						
		WELL'S STATIC WATER LEVEL 135 ft. below land surface measured on mo/day/yr 02-26-96							
		Pump test data: Well water was 150 ft. after 1 hours pumping 90 gpm							
Est. Yield 90 gpm: Well water was ft. after hours pumping gpm									
Bore Hole Diameter 9 1/2 in. to 260 ft., and in. to ft.		WELL WATER TO BE USED AS:							
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 11 Injection well		5 Public water supply 8 Air conditioning 12 Other (Specify below)							
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well									
Was a chemical/bacteriological sample submitted to Department? Yes.....No.. X; If yes, mo/day/yr sample was submitted									
Water Well Disinfected? Yes X No									
5 TYPE OF BLANK CASING USED:									
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped									
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded									
7 Fiberglass Threaded									
Blank casing diameter 24 in. to 260 ft., Dia. in. to ft., Dia. in. to ft.									
Casing height above land surface 24 in., weight 2.902 lbs./ft. Wall thickness or gauge No. 280 SDR 21									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement									
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)									
12 None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)									
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes									
7 Torch cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From 180 ft. to 260 ft., From ft. to ft.									
From ft. to ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From 90 ft. to 260 ft., From ft. to ft.									
From ft. to ft., From ft. to ft.									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other HOLE PLUG									
Grout Intervals: From 0 ft. to 16 ft., From ft. to ft., From ft. to ft.									
What is the nearest source of possible contamination:									
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well									
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well									
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)									
13 Insecticide storage									
Direction from well? Southeast How many feet? 75									
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS				
0	2	SANDY CLAY							
2	4	SANDY CLAY							
4	29	CLAY							
29	47	SAND & SANDY CLAY							
47	59	COARSE SAND & SMALL GRAVEL							
59	89	CLAY							
89	130	SANDY CLAY & CLAY							
130	140	SAND & SANDY CLAY							
140	175	SANDY CLAY							
175	195	SAND							
195	200	CLAY							
200	210	SAND							
210	215	CLAY							
215	251	SAND							
251	260	RED BED							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 02-06-96 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. KWWCL-430 This Water Well Record was completed on (mo/day/yr) 02-06-96 under the business name of HOWARD DRUG CO. BOX 806 BEAVER, OK 73932 by (signature) <i>Howard Drug Co.</i>									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.									