

1 LOCATION OF WATER WELL:		Fraction		Township Number		Range Number	
County: Morton		N2 1/4 NE 1/4 SE 1/4		29		T 34 S	
Distance and direction from nearest town or city street address of well if located within city?						R 41 E	
Wilberton; 1W, on 51. 1/2S, & W into							
2 WATER WELL OWNER: Oxy USA						#2A02 WMSU	
RR#, St. Address, Box # : P.O. Box 300						Board of Agriculture, Division of Water Resources	
City, State, ZIP Code : Tulsa, Ok 74102						Application Number:	
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 265 ft. ELEVATION:					
<div><div>1 Mile</div><div><div>N</div><div>W</div><div>E</div><div>S</div><div><div>NW</div><div>NE</div><div>SW</div><div>SE</div></div></div></div>		Depth(s) Groundwater Encountered 1. 140 ft. 2. ft. 3. ft.					
		WELL'S STATIC WATER LEVEL 140 ft. below land surface measured on mo/day/yr 3-19-97					
		Pump test data: Well water was ft. after hours pumping gpm					
		Est. Yield gpm: Well water was ft. after hours pumping gpm					
		Bore Hole Diameter in. to ft., and in. to ft.					
		WELL WATER TO BE USED AS:					
		1 Domestic WAS 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)					
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well					
		Was a chemical/bacteriological sample submitted to Department? Yes.....No.....; If yes, mo/day/yr sample was submitted					
		Water Well Disinfected? Yes No					
5 TYPE OF BLANK CASING USED:		5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped					
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded							
2 PVC 4 ABS 7 Fiberglass Threaded							
Blank casing diameter 6 in. to 265 ft. Dia in. to ft. Dia in. to ft.							
Casing height above land surface 3' Below in., weight lbs./ft. Wall thickness or gauge No.							
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC 10 Asbestos-cement					
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)							
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 8 Saw cut 11 None (open hole)					
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes							
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)							
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.							
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft.							
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other							
Grout Intervals: From ft. to ft., From ft. to ft.							
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well					
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well							
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)							
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage							
Direction from well?		How many feet?					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS		
			265	139	Chlorinated Gravel		
			139	119	Hole Plug		
			119	3	Cement Grout		
			3		Surface Backfill		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4-22-97 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. KWWCL 430 This Water Well Record was completed on (mo/day/yr) 4-22-97 under the business name of Howard Drlg Box 806 Beaver, Ok 73939 (signature)							
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.							