

WATER WELL RECORD Form WWC-5

Division of Water Resources App. No.

Well ID

Original Record Correction Change in Well Use

1 LOCATION OF WATER WELL: County: Morton Fraction SW 1/4 SE 1/4 SE 1/4 NW 1/4 Section Number 13 Township Number T 34 S Range Number R 41 E W

2 WELL OWNER: Last Name: Lucky First: Jeremy Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:

3 LOCATE WELL WITH 'X' IN SECTION BOX: [Diagram] 4 DEPTH OF COMPLETED WELL: 360 ft. 5 Latitude: 37.091643 Longitude: 101.729386 6 Elevation: 3417 ft.

7 WELL WATER TO BE USED AS: 1. Domestic: 2. Irrigation 3. Feedlot 4. Industrial 5. Public Water Supply 6. Dewatering 7. Aquifer Recharge 8. Monitoring 9. Environmental Remediation 10. Oil Field Water Supply 11. Test Hole 12. Geothermal 13. Other

Was a chemical/bacteriological sample submitted to KDHE? Water well disinfected?

8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 6 in. to 360 ft. Casing height above land surface 24 in. Weight lbs./ft. Wall thickness or gauge No. SDR17

9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From 5 ft. to 35 ft. From 35 ft. to 360 ft.

Nearest source of possible contamination: Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well

Table with columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, LITHO. LOG (cont.) or PLUGGING INTERVALS. Includes a Notes section.

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) 08/28/2018.

Morton Co.

13-345 - 41W

SW SE SE NW

Form	WWC5
Contractor	Nash Water Well Service, LLC
Well Owner	Jeremy Lucky
Doc ID	1420138

Litholgy

0	27	FINE MEDIUM SAND
27	52	FINE MEDIUM SAND, TAN CLAY STREAKS
52	60	FINE COARSE SAND WITH SMALL/MEDIUM GRAVEL AND ROCK LAYERS
60	90	TIGHT STICKY CLAY, WITH FINE MEDIUM SAND LAYERS
90	108	FINE MEDIUM SAND WITH TAN CLAY STREAKS, AND THIN ROCK LAYERS
108	126	FINE COARSE SAND WITH SMALL/LARGE GRAVEL
126	140	FINE MEDIUM SAND WITH THIN CLAY STREAKS
140	160	FINE COARSE SAND
160	240	FINE MEDIUM SAND WITH TAN/BROWN CLAY STREAKS
240	250	FINE SAND WITH TIGHT SOFT ROCK CALICHE
250	270	FINE MEDIUM SAND
270	287	FINE MEDIUM SAND WITH THIN CLAY STREAKS

Form	WWC5
Contractor	Nash Water Well Service, LLC
Well Owner	Jeremy Lucky
Doc ID	1420138

Litholgy

287	300	FINE COARSE SAND
300	305	FINE COARSE SAND, LOOSE
305	312	FINE COARSE SAND
312	327	FINE MEDIUM SAND WITH CLAY STREAKS
327	334	FINE COARSE SAND
334	350	FINE SAND
350	355	FINE SAND, CALICHE CLAY LAYERS
		AND TIGHT STREAKS
355	360	RED CLAY