LOCATION OF WA			Form WWC-				
	, i			ction Number	Township Num		Range Number
		VE-1/4 NE-1/4 S street address of well if locate	SW 1/4	15	т 34	S R	42 EW
	1 = 134 N.		<s.< td=""><td></td><td></td><td></td><td></td></s.<>				
WATER WELL O				Λ	•		
R#, St. Address, B	<b>3</b> 1			) Aroducid			
ity, State, ZIP Code			10× 351		_	·	n of Water Resource
		<u> </u>	beral	KS	Application N	umber:	4-438
AN "X" IN SECTION	Depth(s)	H OF COMPLETED WELL Groundwater Encountered		ft. ELEVA'	ΓΙΟΝ:	# 3	
	WELL'S S	STATIC WATER LEVEL	70 # 1	pelow land sur	ace measured on m	o/day/yr	1/21/04
i		Pump test data: Well wat	er was //	5 # of	tor 2	ovuay/yı	55
NW	NE   Est Viold	1 6.0 gpm: Well water	ei was	n. aı ال	l⊖r <del>/5</del>	iours pumping	
	Poro Hole	e Diameter $\dots 9$ $\dots$ in. to	eiwas		ter	ours pumping	gpm
w		ATER TO BE USED AS:	5 Public water				
i x	1 1 1	omestic 3 Feedlot			8 Air conditioning 9 Dewatering	11 Injecti	
SW	-  SE	gation 4 Industrial			Observation well		(Specify below)
	1 ' 1 '	emical/bacteriological sample					
	S mitted	emica/bacteriological sample	Submitted to L		er Well Disinfected?	· ·	
TYPE OF BLANK		5 Wrought iron	8 Concr				Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement		(specify below			Clamped
2 PVC	4 ABS	7 Fiberglass			, 		· • • • • • • • • • • • • • • • • • • •
			in to		ft Dia	in to	
asing height above	land surface. 14	in., weight	200	lhe/f	t Wall thickness or	rauge No	0.265
	OR PERFORATION MATERI		7 PV			os-cement	. <b></b>
1 Steel	3 Stainless steel	5 Fiberglass		MP (SR)			
2 Brass	4 Galvanized steel	6 Concrete tile	9 AE			used (open ho	
	PRATION OPENINGS ARE:		ed wrapped	,,,	8 Saw cut		lone (open hole)
1 Continuous s			wrapped		9 Drilled holes		ione (open noie)
2 Louvered shu	itter 4 Kev nuncher	d 7 Torch	o cut		10 Other (epocify)		
CREEN-PERFORAT	TED INTERVALS: From.	ft. to .	180	ft Fron	n	ft to	
	<b>F</b>	•					
	From.	ft. to .		ft From	·	ft to	ft
GRAVEL PA	From. ACK INTERVALS: From.	ft. to ft. to ft. to		ft., Fron	1	ft. to	
GRAVEL P		1.6	170	ft., Fron	1	ft. to ft. to	
GRAVEL PA	ACK INTERVALS: From.	<b>65</b>	170	ft., Fron ft., Fron ft., Fron	1	ft. to ft. to ft. to	ft. ft. ft.
GROUT MATERIA	ACK INTERVALS: From. From  L: 1 Neat cement			ft., Fromft., From ft., From	1	ft. to	
GROUT MATERIA	ACK INTERVALS: From. From  L: 1 Neat cement			ft., Fromft., From ft., From	1	ft. to	ft. ft. ft.
GROUT MATERIA	ACK INTERVALS: From. From  L: 1 Neat cement  om • ft. to			ft., Fron ft., Fron ft., Fron onite 4 to	1	ft. to ft. to ft. to ft.	to
GROUT MATERIA frout Intervals: Fro That is the nearest s	ACK INTERVALS: From. From  AL: 1 Neat cement om. 6	2 Cement grout 1.0ft., From	3 Bento	ft., Fron ft., Fron ft., Fron onite to 10 Livest	n	ft. to	toft.  Gas well
GROUT MATERIA frout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines	ACK INTERVALS: From.  From  L: 1 Neat cement  om. C ft. to  source of possible contamina  4 Lateral lines  5 Cess pool  wer lines 6 Seepage pit	2 Cement grout  1.0ft., From 7 Pit privy	3 Bento	ft., Fron ft., Fron onite 4 (  to	n	ft. to	to
GROUT MATERIA frout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se direction from well?	ACK INTERVALS: From. From  L: 1 Neat cement om. C ft. to source of possible contamina 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit	2 Cement grout  1.0ft. to  2 Cement grout  1.0ft., From  tion:  7 Pit privy  8 Sewage lag  9 Feedyard	3 Bento	ft., Fron ft., Fron onite 4 (  to	n	ft. to	toft.  Gas well
GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se- irection from well? FROM TO	ACK INTERVALS: From. From  L: 1 Neat cement om. 6 ft. to source of possible contamina 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit	2 Cement grout  1.0	3 Bento	ft., Fron ft., Fron nite 4 6 to 10 Livest 11 Fuel s 12 Fertiliz 13 Insect	Dother	ft. to	to
GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser irrection from well? FROM TO	ACK INTERVALS: From. From  L: 1 Neat cement om. 6 ft. to source of possible contamina 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit West  LITHOL	tion:  65 ft. to ft. to 2 Cement grout ft., From tion: 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento ft.	ft., Fron ft., Fron nite 4 to	Dother	ft. to	to
GROUT MATERIA Frout Intervals: Fro I	ACK INTERVALS: From. From  L: 1 Neat cement om. 0 ft. to source of possible contamina 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit West  LITHOL OVERBURGEN	2 Cement grout  1.0ft. to 2 Cement grout  1.0ft., Fromtion: 7 Pit privy 8 Sewage lag 9 Feedyard  LOGIC LOG	3 Bento ft.	ft., Fron ft., Fron nite 4 to	Dother	ft. to	to
GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser irrection from well? FROM TO 70 70 70 70	ACK INTERVALS: From. From  L: 1 Neat cement om. 6 ft. to source of possible contamina 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit West  LITHOL	2 Cement grout  1.0ft. to 2 Cement grout  1.0ft., Fromtion: 7 Pit privy 8 Sewage lag 9 Feedyard  LOGIC LOG	3 Bento ft.	ft., Fron ft., Fron nite 4 to	Dother	ft. to	to
GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser irrection from well? FROM TO 70 70 70 70	ACK INTERVALS: From. From  L: 1 Neat cement om. 0 ft. to source of possible contamina 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit West  LITHOL OVERBURGEN	2 Cement grout  1.0ft. to 2 Cement grout  1.0ft., Fromtion: 7 Pit privy 8 Sewage lag 9 Feedyard  LOGIC LOG	3 Bento ft.	ft., Fron ft., Fron nite 4 to	Dother	ft. to	to
GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser irrection from well? FROM TO 70 70 70 70	ACK INTERVALS: From. From  L: 1 Neat cement om. 0 ft. to source of possible contamina 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit West  LITHOL OVERBURGEN	2 Cement grout  1.0ft. to 2 Cement grout  1.0ft., Fromtion: 7 Pit privy 8 Sewage lag 9 Feedyard  LOGIC LOG	3 Bento ft.	ft., Fron ft., Fron nite 4 to	Dother	ft. to	toft.  ft.  toft.  ft.  gas well  specify below)
GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser irrection from well? FROM TO 70 70 70 70	ACK INTERVALS: From. From  L: 1 Neat cement om. 0 ft. to source of possible contamina 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit West  LITHOL OVERBURGEN	2 Cement grout  1.0ft. to 2 Cement grout  1.0ft., Fromtion: 7 Pit privy 8 Sewage lag 9 Feedyard  LOGIC LOG	3 Bento ft.	ft., Fron ft., Fron nite 4 to	Dother	ft. to	toft.  ft.  toft.  ft.  gas well  specify below)
GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser irrection from well? FROM TO 70 70 70 70	ACK INTERVALS: From. From  L: 1 Neat cement om. 0 ft. to source of possible contamina 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit West  LITHOL OVERBURGEN	2 Cement grout  1.0ft. to 2 Cement grout  1.0ft., Fromtion: 7 Pit privy 8 Sewage lag 9 Feedyard  LOGIC LOG	3 Bento ft.	ft., Fron ft., Fron nite 4 to	Dother	ft. to	toft.  ft.  toft.  ft.  gas well  specify below)
GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser irrection from well? FROM TO 70 70 70 70	ACK INTERVALS: From. From  L: 1 Neat cement om. 0 ft. to source of possible contamina 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit West  LITHOL OVERBURGEN	2 Cement grout  1.0ft. to 2 Cement grout  1.0ft., Fromtion: 7 Pit privy 8 Sewage lag 9 Feedyard  LOGIC LOG	3 Bento ft.	ft., Fron ft., Fron nite 4 to	Dother	ft. to	toft.  ft.  toft.  ft.  gas well  specify below)
GROUT MATERIA rout Intervals: Fro fhat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight see irrection from well? FROM TO 70 70 70 70	ACK INTERVALS: From. From  L: 1 Neat cement om. 0 ft. to source of possible contamina 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit West  LITHOL OVERBURGEN	2 Cement grout  1.0ft. to 2 Cement grout  1.0ft., Fromtion: 7 Pit privy 8 Sewage lag 9 Feedyard  LOGIC LOG	3 Bento ft.	ft., Fron ft., Fron onite 4 to 10 Livest 11 Fuel s 12 Fertiliz 13 Insect How mar	Dother	ft. to	toft.  ft.  toft.  ft.  gas well  specify below)
GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser irrection from well? FROM TO 70 70 70 70	ACK INTERVALS: From. From  L: 1 Neat cement om. 0 ft. to source of possible contamina 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit West  LITHOL OVERBURGEN	2 Cement grout  1.0ft. to 2 Cement grout  1.0ft., Fromtion: 7 Pit privy 8 Sewage lag 9 Feedyard  LOGIC LOG	3 Bento ft.	ft., Fron ft., Fron onite 4 to 10 Livest 11 Fuel s 12 Fertiliz 13 Insect How mar	Dother	ft. to	to
GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se irection from well? FROM TO 70 100	ACK INTERVALS: From. From  L: 1 Neat cement om. 0 ft. to source of possible contamina 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit West  LITHOL OVERBURGEN	2 Cement grout  1.0ft. to 2 Cement grout  1.0ft., Fromtion: 7 Pit privy 8 Sewage lag 9 Feedyard  LOGIC LOG	3 Bento ft.	ft., Fron ft., Fron onite 4 to 10 Livest 11 Fuel s 12 Fertiliz 13 Insect How mar	Dother	ft. to	to
GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se irection from well? FROM TO 70 100	ACK INTERVALS: From. From  L: 1 Neat cement om. 0 ft. to source of possible contamina 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit West  LITHOL OVERBURGEN	2 Cement grout  1.0ft. to 2 Cement grout  1.0ft., Fromtion: 7 Pit privy 8 Sewage lag 9 Feedyard  LOGIC LOG	3 Bento ft.	ft., Fron ft., Fron onite 4 to 10 Livest 11 Fuel s 12 Fertiliz 13 Insect How mar	Dother	ft. to	toft.  ft.  toft.  ft.  gas well  specify below)
GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se irection from well? FROM TO 70 100	ACK INTERVALS: From. From  L: 1 Neat cement om. 0 ft. to source of possible contamina 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit West  LITHOL OVERBURGEN	2 Cement grout  1.0ft. to 2 Cement grout  1.0ft., Fromtion: 7 Pit privy 8 Sewage lag 9 Feedyard  LOGIC LOG	3 Bento ft.	ft., Fron ft., Fron onite 4 to 10 Livest 11 Fuel s 12 Fertiliz 13 Insect How mar	Dother	ft. to	toft.  ft.  toft.  ft.  gas well  specify below)
GROUT MATERIA Frout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser /irection from well? FROM TO 70 100	ACK INTERVALS: From. From  L: 1 Neat cement om. 0 ft. to source of possible contamina 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit West  LITHOL OVERBURGEN	2 Cement grout  1.0ft. to 2 Cement grout  1.0ft., Fromtion: 7 Pit privy 8 Sewage lag 9 Feedyard  LOGIC LOG	3 Bento ft.	ft., Fron ft., Fron onite 4 to 10 Livest 11 Fuel s 12 Fertiliz 13 Insect How mar	Dother	ft. to	toft.  ft.  toft.  ft.  gas well  specify below)
GROUT MATERIA Frout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser /irection from well? FROM TO 70 100	ACK INTERVALS: From. From  L: 1 Neat cement om. 0 ft. to source of possible contamina 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit West  LITHOL OVERBURGEN	2 Cement grout  1.0ft. to 2 Cement grout  1.0ft., Fromtion: 7 Pit privy 8 Sewage lag 9 Feedyard  LOGIC LOG	3 Bento ft.	ft., Fron ft., Fron onite 4 to 10 Livest 11 Fuel s 12 Fertiliz 13 Insect How mar	Dother	ft. to	toft.  med water well  Gas well  specify below)
GROUT MATERIA Frout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser //rection from well? FROM TO //O //O //O //O //O //O //O //O //O /	ACK INTERVALS: From. From  L: 1 Neat cement om. 0 ft. to source of possible contamina 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit West  LITHOL  OVERBURGEN SAND SHOW  OR LANDOWNER'S CERTI	#FICATION: This water well w	3 Bento ft.	ft., Fronft., Fron ft., Fron onite 4 to 10 Livest 11 Fuel s 12 Fertiliz 13 Insect How mar TO	Dither	ft. to	toft.  ft.  toft.  ft.  ft.  ft.  ft.  ft.  ft.
GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se irrection from well? FROM TO O 70 100 100 180  CONTRACTOR'S completed on (mo/dat	ACK INTERVALS: From. From  L: 1 Neat cement om. 0 ft. to source of possible contamina 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit West  LITHOL  OVERBURDEN  COOKSE Sa Sand STOM  OR LANDOWNER'S CERTL  V/year) 131	#FICATION: This water well w	3 Bento ft.	ft., Fronft., Fron ft., Fron onite 4 to 10 Livest 11 Fuel s 12 Fertiliz 13 Insect How mar TO	Dither	ft. to	toft.  ft.  toft.  ft.  ft.  ft.  ft.  ft.  ft.
GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se irrection from well? FROM TO O 70 0 100 0 180  CONTRACTOR'S impleted on (mo/dai ater Well Contracto	ACK INTERVALS: From. From  L: 1 Neat cement om. 0 ft. to source of possible contamina 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit West  LITHOL  OVERBURDEN  COOKSE Sa Sand STOM  OR LANDOWNER'S CERTL  V/year) 131 r's License No. 142	fit. to ft. ft. to ft.	3 Bento ft.  Soon  FROM  PROM  Pas (1) constru	tt., Fron tt., F	Dother	ft. to	toft.  ft
GROUT MATERIA rout Intervals: Fro hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser rection from well? ROM TO O 70 0 100 0 180  CONTRACTOR'S mpleted on (mo/dat ater Well Contracto der the business no	ACK INTERVALS: From. From  L: 1 Neat cement om. 0 ft. to source of possible contamina 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit West  LITHOL  OVERBURDEN  COOKSE Sa Sand SHOO  OR LANDOWNER'S CERTINA  Sylvear) 134  r's License No. 142  ame of T ( W Water  A STORMAN SHOOL  A STORMAN SHOOL  OR LANDOWNER'S CERTINA  OR LANDOWNER'S CERTINA  STORMAN SHOOL  OR LANDOWNER'S CERTINA  OR	#FICATION: This water well w	3 Bento ft.  TROM  FROM  FROM  FROM  Vell Record was	tt., Fron tt., F	Dother	ft. to	to