WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors)
Topeka, Kansas 66620

| | | | | | ,, | |
|--|------------------------|--------------|----------------|---|--|--|
| County | Fraction | Sec | ion number | Township number | Range number | 1 |
| 1. Location of well: MortoN | NW1/4 SW1/4 NV | M/4 / | 25 | 1 34. | S 42 - W | 4 |
| 2. Distance and direction from nearest town or city: 44N | 2½E,25 | 3. Owner of | well: | YMAIN H. Br | OW IV | 1 |
| FIRHANT-RUNCING | | | | , | • | |
| Sheet dates of well localide in the chy: | | City, state, | zip code: / | PIAINS-KAN | 15 67869 | |
| 4. Locate with "X" in section below: N | ketch map: | | | 6. Bore hole dia. 18 i Well depth 43/ft. | n. Completion date 7-21 | 76 |
| | wel/ | | - | 7 Cable tool X Rotar | Driver Du- | 1 |
| NW NE | X , | | | | y Driven Dug d Bored Reverse rotary | , |
| | ` \ | | | | Public supply Industry | 1 |
| | | | | | Air conditioning Stock | |
| SW SE | | | | | Oil field water Other | _ |
| | | | | 9. Casing: Material 5720 | | |
| S | | | | Threaded Welded | isurfacein. Weightibs./ft. | : |
| ı——1 Mile ———ı | | | | 1 1 30.7 | epth Wall Thickness: inches or | |
| 5. Type and color of material | | Fro | m To | Dia in. to ft. de | | . |
| T / | | | - | 10. Screen Manufacturer's | TECL. CO | 1 |
| 100 501/ | | | 20 | Type Stee! | _ Dia 16 | |
| SAND Grave/ Med the | 1160 | | 100 | Slot gauze /4 Torch | Length 42 | . |
| | 41 BE | | 3777 | Set between 125 | _ft. andft. | |
| Clay & SHAle Red | | 19 | 7 391 | Gravel pack? Ves Size r | ange of material 3/1/ | _ |
| SAND ROCK Red | | 39 | 71/27 | 11. Static water level: | mo./day/yr. | |
| Sulata Pad | | | | 12. Pumping level below land | | 7 |
| SHATE PER | | | 7431 | 12. Fumping level below fall | hrs. pumping <u>1500</u> g.p.m. | İ |
| | | | | 100 ft. after 12 | hrs. pumping 1500g.p.m. | ľ |
| | | | | Estimated maximum yield — | 2000 g.p.m. | 4 |
| | | | | 13. Water sample submitted: Yes X No | : mo./day/yr. Date | 1 1 |
| | | | | 14. Well head completion: | | 1 |
| | | | | Pitless adapter | Inches above grade | |
| | | | | Well grouted? X | |] ka |
| | | | | With: Neat cement Depth: From ft. to | Bentonite Concrete | - 2 |
| | | | | 16. Nearest source of possib | 4/4// | ┤ |
| | | · · | | ft Direction | | 1 |
| | | | | Well disinfected upon comp | letion? Yes No | 4 1. |
| | | | | 17. Pump: Manufacturer's name RAI | NOO BH MEE CO |] = { |
| | | | | Model number | O HP 200 Volts — | 7 |
| | | | | Terrigiii or drop pripe | O ft. capacity /500g.p.m. | 8 |
| | | | | Type: | X Turbine | ' |
| | | | | Submersible Jet | Reciprocating | |
| (Use a second she | et if needed) | | | Centrifugal | Other |] š [<i>V</i> |
| 18. Elevation: 19. Remarks: | | | | 2 Water well contractor's | certification: my jurisdiction and this report | |
| | | | | is true to the best of my kno | • • | |
| Topography: | - / - | | Ŕ | AloHis Inrig. L | Willing CONTR | |
| Hill X Slope | 1 21. Br | oun | , | Address 130050. | MAIN License No. | 1-1.8 |
| Upland Upland | u / VI | | | Address Polific | Woods 8-71 | 1 |
| Valley | | | | Signed Authorized re | presentative Date | [z]; |
| Forward the white, blue and pink copies to the Department of | Health and Environment | | | Spring FIETO, | 6010, 81073 | |