Casing height above land surface	esource 593ftgpr
Distance and direction from nearest town or city street address of well if located within city? From Elkhart go North to Cimarr River then go 8mi West North to location. WATER WELL OWNER: Anadarko Production RH#, St. Address, Box # : C/o Paul Gatlin Box 351 City, State, ZIP Code : Liberal, Kansas 67901 Board of Agriculture, Division of Water R Application Number: T 81–5 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1. 140 ft. 2. ft. 3. WELL'S STATIC WATER LEVEL 60 ft. below land surface measured on mo/day/yr 8/22/81. Pump test data: Well water was ft. after hours pumping Bore Hole Diameter. 9 in. to 200 ft., and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well Was a chemical/bacteriological sample submitted to Department? Yes	esources 93ftgprftgprftgprf
WATER WELL OWNER: Anadarko Production RR#, St. Address, Box # : C/o Paul Gatlin Box 351 LCCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1. 140 ft. 2 ft. 3. WELL'S STATIC WATER LEVEL 60, ft. below land surface measured on mol/day/yr 8/22/81. Pump test data: Well water was ft. after hours pumping Est. Yield 60, gpm: Well water was ft. after hours pumping Bore Hole Diameter 9 in. to 200 ft. aft. and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Water was No. ; If yes, mol/day/yr sample with mitted water was shown in the shown in the water was shown in	esource 93 ft. gpr f
Board of Agriculture, Division of Water R Application Number: T 81–5 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1. 140 ft. 2. ft. 3. WELL'S STATIC WATER LEVEL 60. ft. below land surface measured on mo/day/yr 8/22/81. Pump test data: Well water was ft. after hours pumping. Est. Yield 60. gpm: Well water was ft. after hours pumping. Bore Hole Diameter 9. in. to 200. ft., and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) Was a chemical/bacteriological sample submitted to Department? Yes. No. if yes, mo/day/yr sample mitted Water Well Disinfected? Yes No 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Private Well Disinfected? Yes No TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass Type OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass Type OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass To the control of the Application of Water RApplication of Material Application of Water RApplication of Material Application of Water RApplication Number: T 81–5 Reprivation Number:	93 ft. gpr f
City, State, ZIP Code : Liberal, Kansas 67901 Application Number: T 81–5 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1. 140 ft. 2. ft. 3. WELL'S STATIC WATER LEVEL 60 ft. eliow land surface measured on mo/day/yr 8/22/81. Pump test data: Well water was ft. after hours pumping best. Yield 60 pm; Well water was ft. after hours pumping hours pumping in. to well. Well. WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 60 ft., and in. to well. Well. WATER TO BE USED AS: 5 Public water supply 9 Dewatering 12 Other (Specify below 1 Domestic 3 Feedlot .	93 ft. gpr f
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1. 140 ft. 2 ft. 3. WELL'S STATIC WATER LEVEL 6.0 ft. below land surface measured on mo/day/yr 8/22/81. Pump test data: Well water was ft. after hours pumping Est. Yield 6.0 gpm: Well water was ft. after hours pumping Bore Hole Diameter 9 in. to 200 ft. and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes No Water Well Disinfected? Yes No Type Of BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 1 Other (specify) 1 Other (spe	was su
WELL'S STATIC WATER LEVEL 6.0 ft. below land surface measured on mo/day/yr 8/22/81. Pump test data: Well water was ft. after hours pumping Bore Hole Diameter 9 in. to 200 ft., and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes	was su
Pump test data: Well water was ft. after hours pumping state: Well water was ft. after hours pumping f	gpr f w) was su
Est. Yield 60 gpm: Well water was ft. after hours pumping larger ft. after hours pumping ft. and in. to larger	w) was su
Bore Hole Diameter 9 in to 2.00 ft., and in to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes No	w) was su
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes	w) was su
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below 12 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes No	was su
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes	was su
Was a chemical/bacteriological sample submitted to Department? Yes	was su
\$ mitted \$ Water Well Disinfected? Yes No TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped. 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded. Blank casing diameter 5 in to 100 ft., Dia in to ft., Dia in to Casing height above land surface 28 in., weight 2 78 lbs./ft. Wall thickness or gauge No. 25.6 TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)	
TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued	
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded. Blank casing diameter 5 in. to 100 ft., Dia in. to ft., Dia in. to Casing height above land surface 28 in., weight 2 . 78 Ibs./ft. Wall thickness or gauge No 256 TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass RMP (SR) 11 Other (specify)	
Blank casing diameter 5 in to 100 ft., Dia in to ft., Dia in to Casing height above land surface 28 in., weight 2.78 lbs./ft. Wall thickness or gauge No256 TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)	
Casing height above land surface	
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)	f
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)	
4.0.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.	
CORETA OR REPERBATION OF THE CONTROL ARE	
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open house 11 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes)le)
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	
SCREEN-PERFORATED INTERVALS: From 60 ft. to 120 ft., From ft. to	 f
From. 160 ft. to 200 ft., From ft. to ft. to	f
GRAVEL PACK INTERVALS: From. 20 ft. to	f
From ft. to ft., From ft. to	f
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other	
Grout Intervals: From 0ft. toft., From	
What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water we	II
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (epocify below)	
12 Totalizor Storage To Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage Direction from well? Northeast of water well. How many feet? 100	
FROM TO LITHOLOGIC LOG FROM TO LITHOLOGIC LOG	
0 2 surface	
2 34 sandy clay	
34 95 fine sand	
95 115 sandstone	
115 138 clay Vd d	
130 130 Sandstone	
190 200 sandy clay 8 W 0	
र्शकताव १	
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed or (3) plugged upder my jurisdiction a	nd wa
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction a completed on (mo/day/year) August . 22, 1981	nd wa
completed on (mo/day/year) August . 22., . 1981	nd wa
completed on (mo/day/year) August . 22., . 1981	Kansa

rates in the same of the