KOLAR Document ID: 1462531

WATER V		ECORD Correction		WWC-5 e in Well Us	e			sion of Wate irces App. N			] Well I	$^{D}$		
				Fraction				ion Numbe		Township Numb		Range Number		
County:				1/4	1/4 1/4	4 1/4				T S R			□ E □ W	
·							treet or Rural Address where well is located (if unknown, distance and							
							irection from nearest town or intersection): If at owner's address, check here:							
Address: Address:														
City: State: ZIP:														
3 LOCATE WELL														
WITH "X" IN 4 DEPTH OF COMP				PLETED WELL: ft										
SECTION	Depth(s) Groundwater Encountered: 1)						—							
N	2) ft. 3) ft., or 4) \( \begin{align*} WELL'S STATIC WATER LEVEL:													
XTT		below land surface, measured on (mo-day-yr								unit make/model:	-		,	
NW	- NE	above land surface, measured on (mo-day-yr								WAAS enabled?				
	1	Pump test data: Well water was ft.					☐ Land Survey ☐ Topographic Map				•			
w	Е	after hours pumpinggr							nlin	e Mapper:				
SW   -	- SE	Well water was ft. after hours pumping gp												
		Estimated Yield:gpm					<b>6 Elevation</b> :ft.					und	Level 🔲 TOC	
S		Bore Hole Diameter: in. to									GPS Topographic Map			
1 mil	le	in. to												
7 WELL WATER TO BE USED AS:														
1. Domestic:														
☐ Household 6. ☐ Dewatering: how r							11. Test Hole: well ID							
☐ Lawn & Garden 7. ☐ Aquifer I										Uncased (				
2. ☐ Irrigation	☐ Livestock 8. ☐ Monitoring: well ID										: how many bores?			
3. ☐ Feedlot			Extraction		a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water									
3. ☐ Feedlot         ☐ Air Sparge         ☐ Soil           4. ☐ Industrial         ☐ Recovery         ☐ Injection							13.  Other (specify):							
Was a chemi	ical/bacteri	ological san	nple subm	itted to KI	OHE? □	Yes $\square$	No	If yes, date	e sar	nple was submitte	d:			
Water well d					_	_		<b>3</b>		1				
8 TYPE OF	CASING	USED: □ S	teel PV	C 🔲 Other		CA	ASIN	G JOINTS	S: 🗆	Glued Clamped	d □ Wel	lded	☐ Threaded	
										in. to				
Casing height						lbs	./ft.	Wall thick	kness	s or gauge No		•••		
TYPE OF SC			TION MAT	ΓERIAL:						g				
☐ Steel ☐ Brass		less Steel anized Steel			□ PVC	used (open	holo)		ner (	Specify)	• • • • • • • • • • • • • • • • • • • •	• • • • •	•••••	
SCREEN OR	_		NINGS AI	RF.	☐ None	useu (open	noie)							
☐ Continu		☐ Mill Slot		auze Wrappe	d □T	orch Cut	□ Dri	illed Holes	П	Other (Specify)				
☐ Louvere		☐ Key Punch						ne (Open H						
SCREEN-PE	ERFORATE	D INTERVA	ALS: From	ı ft	. to	ft., Fr	om	ft. to	o	ft., From	ft	. to .	ft.	
GRA	AVEL PAC	K INTERV	ALS: From	1 ft	t. to	ft., Fr	om	ft. t	o	ft., From	ft	. to .	ft.	
													• • • • • • • • • • • • • • • • • • • •	
				. ft., From potential so	uras of so	. ft. to		ft., From	••••	ft. to	ft.			
Nearest sourc			Lateral Line		uice of cor Pit Privy	itammatio		iii 200 it. Livestock Pe	ne	☐ Insection	cide Stor	90e		
Sewer Li			Cess Pool			agoon		Fuel Storage		☐ Abando			Vell	
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well														
☐ Other (Specify)														
							173.16	S DIEDELLI G						
10 FROM	TO		ITHOLOG	ilC LOG		FRO	M	TO	LH	HO. LOG (cont.) or	PLUGG	INC	INTERVALS	
							_							
ļ						Notes	:							
11 CONTR	ACTOR'S	OR LANDO	)WNER'S	CERTIF	CATIO	N: This v	vater	well was F	7.00	onstructed, $\square$ reco	onstructe	ed c	r nlugged	
under my juri	isdiction an	d was compl	eted on (m	no-day-year	·)		and th	nis record	is trı	ue to the best of m	y knowl	ledg	e and belief.	
Kansas Wate	r Well Cont	tractor's Lice	ense No		. This W	ater Well	Reco	ord was con	mple	eted on (mo-day-y	ear)			
under the bus	siness name	of	****	TT 1 0**				1 5 21		or each constructed we	11	<u></u>	<u></u>	
KS Departme	S nt of Health ar	end one copy to d Environment	OWATER W Bureau of W	ELL OWNER Vater, Geology	and retain Section 1	one for you 000 SW Jac	r record kson S	as. Fee of \$5 t Suite 420	1 00.c Tone	for each <u>constructed</u> we eka, Kansas 66612-136	и. 57. Telent	ione	785-296-3565	
-		s.gov/waterwel		, 0001083	,			, _ 31.0 120,	- ope	,			A 82a-1212	