

WATER WELL R		WWC-5 1131	DIV	vision of Water			
Original Record Correction Change I LOCATION OF WATER WELL:				ources App. No			
County:			/4 ¹ /4 Section Nun		T S	$R \square E \square W$	
					al Address where well is located (if unknown, distance and		
Business:				from nearest town or intersection): If at owner's address, check here:			
Address: Address:							
City: State: ZIP:							
3 LOCATE WELL							
WITH "X" IN	4 DEPTH OF CON Depth(s) Groundwater		5 Latitude:(decimal degrees)				
SECTION BOX:		3) ft., or 4)			Longitude:		
N	N 2) 3) 11. 61. 4) 1 WELL'S STATIC WATER LEVEL:				Source for Latitude/Longitude:		
	, measured on (mo-day-		· GP	GPS (unit make/model:)			
NW NE	-NW- -NE- above land surface, meas				(WAAS enabled? Yes No)		
	-	vater was fi s pumping					
W E	Well v		L] On	line Mapper:			
SWSE	after hours pumping gpm						
	Estimated Yield:		6 Elevation:ft. Ground Level TOC				
S	Bore Hole Diameter:		Source: Land Survey GPS Topographic Map				
Image:							
1. Domestic: 5. Dublic Water Supply: well ID 10. Oil Field Water Supply: lease							
	6. Dewatering: how many wells?			11. Test Hole: well ID			
🗖 Lawn & Garden	7. Aquifer Recharge: well ID			Cased Uncased Geotechnical			
Livestock	8. Monitoring: well ID			12. Geothermal: how many bores?			
2. Irrigation	9. Environmental Remediation: well ID			a) Closed Loop Horizontal Vertical			
3. Example Feedlot Air Sparge Soil Vapor Extra 4. Industrial Recovery Injection					b) Open Loop □ Surface Discharge □ Inj. of Water 13. □ Other (specify):		
Was a chemical/bacteriological sample submitted to KDHE? □ Yes □ No If yes, date sample was submitted:							
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded							
Casing diameter in. to ft., Diameter in. to ft., Diameter ft.							
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:							
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)							
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)							
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft. to ft.							
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft. to ft.							
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout Intervals: From							
Nearest source of possible contamination: Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage							
Sepire Tank Lateral Lines Pit Pity Livestock Pens Insecticide Storage Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well							
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well							
Direction from well? ft.							
10 FROM TO	LITHOLO	GICLOG	FROM	TO I	LITHO. LOG (cont.) or Pl	LUGGING INTERVALS	
			Notes:				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No							
under the business name	e of						
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.							
_	nd Environment, Bureau of V ks.gov/waterwell/index.html		JUU S W JACKSON	51., 5uite 420, I	opeka, Kalisas 00012-130/.	KSA 82a-1212	