

W			RECORD	-	WWC-5 112 [°] e in Well Use	1158		ion of Wate			Well ID		
1	Original Record Correction Chang				Fraction	Resources App. No.			Township Number Range Numl		ige Number		
1	County:				1/4 $1/4$ $1/4$ $1/4$ $1/4$						$S R \square E \square W$		
2		OWNER:			treet or Rural Address where well is located (if unknown, distance and								
	Business:				rection from nearest town or intersection): If at owner's address, check here:								
	Address:										,		
	Address:		G										
	City:		State:										
	LOCATE WELL 4 DEPTH OF COMPLETED WELL WITH "X" IN						ft.	5 Latitude :(decimal degrees)					
		N BOX:		Encountered: 1)		Longitude:							
	N			3) ft., or 4)		11	Datum: WGS 84 NAD 83 NAD 27						
Г	WELL'S STATIC WATER LEVEL:									Latitude/Longitude:			
								□ GPS (unit make/model:) (WAAS enabled? □ Yes □ No)					
· ·	NW	NE		Pump test data: Well water was ft.					\Box Land Survey \Box Topographic Map				
w		E	-		s pumping gpm			Online Mapper:					
	I CW			Well water was ft.									
	3w	SE		after hours pumping gpm					6 Elevation:ft. Ground Level TOC				
L				Estimated Yield:gpm					Source: Land Survey GPS Topographic Map				
I		S nilel	Bore Hole L	Bore Hole Diameter: in. to ft. and ft.									
	1 mile in. to ft. □ Other												
	Domestic: 5. Deublic Water Supply: well ID 10. Oil Field Water Supply: lease												
	☐ Household							11. Test Hole: well ID					
Ē] Lawn &	& Garden			arge: well ID				Uncased Ge				
E	Livestock 8. Monitoring: well ID							12. Geotl	herma	al: how many bores?			
	Irrigation 9. Environmental Remediation: well ID							a) Closed Loop 🔲 Horizontal 🗌 Vertical					
] Feedlo			Air Sparge Soil Vapor Extrac				b) Open Loop \Box Surface Discharge \Box Inj. of Water					
	4. □ Industrial □ Recovery □ Injection 13. □ Other (specify):												
	Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:												
		disinfected				~ ~	~~~~	a	<u> </u>				
					C 🔲 Other								
Casing diameter in. to ft., Diameter in. to ft., Diameter ft.													
	Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
	TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Fiberglass PVC Other (Specify)												
	Brass Galvanized Steel Concrete tile None used (open hole)												
	SCREEN OR PERFORATION OPENINGS ARE:												
	□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)												
			🗌 Key Punch					ne (Open H					
SC					n ft. to								
					n ft. to								
					Cement grout \square B								
					ft., From	. ft. to		ft., From		ft. to	ft.		
	rest sou Septic '		ole contaminati	o n: Lateral Line	s 🗌 Pit Privy			ivestock Pe	me		la Storago		
] Sepuer l	Lines		Tess Pool	\square Sewage L	agoon		uel Storage					
Ē	Waterti	ight Sewer L	ines	Seepage Pit	Feedyard	ugoon		ertilizer Sto	orage			() OII	
Ē	Separe Fail Exterior Exterior Insecticite Storage Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well Other (Specify) Other (Specify) Sever Storage Oil Well/Gas Well												
Dir	ection fro	om well?			Distance from v	vell?							
10	FROM	TO	L	ITHOLOG	GIC LOG	FROM	Л	TO	LIT	HO. LOG (cont.) or P	LUGGIN	G INTERVALS	
						_							
						_							
						Notes							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged													
unc	ler my ju	urisdiction a	and was compl	eted on (m	no-day-year)		and th	nis record i	is tru	e to the best of my	knowled	ge and belief.	
Ka	nsas Wa	ter Well Co	ntractor's Lice	ense No	This W	ater Well	Reco	rd was coi	mple	ted on (mo-day-yea	r)		
under the business name of													
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.												785-296-3565	
	-		eks.gov/waterwel		, conserved and a second a				- °P0	, 00012 1007.		SA 82a-1212	