WATER WELL	RECORD	Form W	WC-5	Division of W	ater Resources App. N	10.	
1 LOCATION OF WATER WELL:		Fraction		Section Number		Range Number	
County: Barber Street/Rural Address of Well Location; i		1/4 SW 1/4 SW 1/4 SE 1/4		4 T 35 S R 10 E VW Global Positioning System (GPS) information:			
	dress of Well Location; I wn or intersection: If at o	Latitude:37.0	36937	(in decimal degrees)			
From K2 and Tri City Rd in Hazelton, South 4.2 miles to Driftwood				Longitude: -98.420593 (in decimal degrees)			
Rd, W 1/2 mile, S into.					Elevation:		
2 WATER WELL OWNER: Shell Oil Company - Schupenbach				Collection Method:			
RR#, Street Address, Box #: P.O. Box 301440				GPS unit (Make/Model:)			
City, State, ZIP Code : Houston, TX 77230-1440			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m				
3 LOCATE WELL							
with an "x" in 4 depth of completed well .45							
SECTION BOX:	X: Depth(s) Groundwater Encountered (1)						
1	Pump test data: Well water was						
EST. YIELDgpm. Well water was							
W $ E $ Bore Hole Diameter 12.1/4in. to .45ft., andin. toft.							
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
SWSE Domestic							
Was a chemical/bacteriological sample submitted to Department? ✓ Yes ☐ No							
S If yes, mo/day/yr sample was submitted							
mile Water well disinfected? ☑ Yes □ No							
5 TYPE OF CASING USED: Steel V PVC Other							
CASING JOINTS: ☑ Glued ☐ Clamped ☐ Welded ☐ Threaded							
Casing diameter							
Casing neight above land surface							
☐ Steel ☐ Stainless Steel							
Brass Galvanized Steel None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)							
SCREEN-PERFORATED INTERVALS: From 40. ft. to 20. ft., From ft. to ft.							
From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From 45 ft. to 20 ft., From ft. to ft. to							
From							
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other							
Grout Intervals: From .20							
What is the nearest source of possible contamination: ☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)							
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well							
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☑ Oil well/gas well							
FROM TO	Well MOMENT LITHOLOG	IC LOG	FROM				
	opsoil	IC LOO	INON	TO LITHO.	LOG (COIL.) OF PLC	JGGING INTERVALS	
	Clay						
12 35 S	and & Gravel						
35 45 L	ayered Shale						
		<u>,</u>					
	•					•	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/day/year) .5/10/2012 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No665 This Water Well Record was completed on (mo/day/year)							
under the business name of Pratt Well Service, Inc. by (signature)							
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies							
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section. 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include <u>fee</u> of \$5.00 for each <u>constructed</u> well. Visit us at							
http://www.kdheks.gov/waterwell/index.html							
KSA 82a-1212 Check: ✓ White Copy, ✓ Blue Copy, ✓ Pink Copy							