WATER WELL RECORD			Form W	WC-5	Division of Water Resources App. No.			
	1 LOCATION OF WATER WELL: County: Barber		Fraction SW ¼ SW ¼ SE	4 NW 1/4	Section Number 2	Township No. T 35 S	Range Number R 10	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:								
from	nearest	town or intersection: If at o	owner's address, check	Latitude:37.0269	946	(in decimal degrees)		
from intersection Sandplum/Driftwood, 1M S on Sandplum Rd, W into location 1/8-1/4 mile					Longitude: -98.392102 (in decimal degrees) Elevation:			
					Datum: WGS 84	, 🔲 NAD 83, 🗀	NAD 27	
Shell Sil Colporation, Conappacit					Collection Method: GPS unit (Make/Model:)			
O'to 0010 710 Octo				10-3	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
	, 5, 1	. Houston	i, TX 77230-1440		Est. Accuracy:	3 m. \square 3-5 m. \square	5-15 m. $\square > 15$ m	
3 LOCATE WELL								
	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL .74							
SEC	TION BO	[= -F(*) =						
l —	WELL'S STATIC WATER LEVEL24ft. below land surface measured on mo/day/yr09/29/12							
	Pump test data: Well water wasft. after							
W X E Bore Hole Diameter 1.4.1.14								
	Demostic D Foodlet MOil fold unto quantum D Demostring D Other (Specific below)							
SW SE Domestic Feediot Off field water supply Dewatering Other (specify below)								
Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted								
1 mile Water well disinfected?								
5 TYPE OF CASING USED: Steel V PVC Other								
CASING JOINTS: ☑ Glued ☐ Clamped ☐ Welded ☐ Threaded								
Casing diameter .8 in. to .54 ft., Diameter ft., Diameter ft.								
Casing height above land surface3in., Weightlbs./ft., Wall thickness or gauge No								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel								
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From								
From ft. to ft., From ft. to ft.								
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other								
What is the nearest source of possible contamination:								
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☑ Oil well/gas well								
	+	m well			rom well		CODIO DIMPRILATO	
FROM	TO	LITHOLOGI	IC LUG	FROM	TO LITHO. LO	G (cont.) or PLU	GGING INTERVALS	
5	5 10	Sand						
10	20	Sand				1174		
20	30	Sand Sand/Big Rock & Red C	lav					
30	40	Big Rock/Clay	лау					
40	60	Big Rock/Chat/Red Sha	مار	 				
60	76	Red Shale						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .09/27/12 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 665 This Water Well Record was completed on (mo/day/year) 10/19/12								
under the business name of Pratt Well Service, Inc. by (signature)								
INSTRUCTIONS: Use ty pewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Depar tment of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367.								
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at								
http://www.kdheks.gov/waterwell/index.html								
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy								