


1 LOCATION OF WATER WELL: County: Barber Fraction: NE 1/4 NW 1/4 SE 1/4 Section Number: 8 Township Number: T 35 S Range Number: R 12 E/W

Distance and direction from nearest town or city street address of well if located within city?

2 WATER WELL OWNER: Calen Piper RR#, St. Address, Box #: S12 Main City, State, ZIP Code: Kiowa, KS 67070 Application Number: B03  
Board of Agriculture, Division of Water Resources

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  DEPTH OF COMPLETED WELL: 44.85 ft. ELEVATION: 1398.43  
Depth(s) Groundwater Encountered 1. 23.8 ft. 2. 25.5 ft. 3. .... ft.  
WELL'S STATIC WATER LEVEL 25.5 ft. below land surface measured on mo/day/yr 6-24-93  
Pump test data: Well water was ..... ft. after ..... hours pumping ..... gpm  
Est. Yield ..... gpm: Well water was ..... ft. after ..... hours pumping ..... gpm  
Bore Hole Diameter ..... in. to ..... ft., and ..... in. to ..... ft.  
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well  
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well  
Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was submitted  
Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED: 1 Steel 2 PVC 3 RMP (SR) 4 ABS 5 Wrought iron 6 Asbestos-Cement 7 Fiberglass 8 Concrete tile 9 Other (specify below) CASING JOINTS: Glued ..... Clamped .....  
Blank casing diameter 2 in. to ..... ft., Dia. .... in. to ..... ft., Dia. .... in. to ..... ft.  
Casing height above land surface 24 in., weight ..... lbs./ft. Wall thickness or gauge No. ....  
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 2 Brass 3 Stainless steel 4 Galvanized steel 5 Fiberglass 6 Concrete tile 7 PVC 8 RMP (SR) 9 ABS 10 Asbestos-cement 11 Other (specify) 12 None used (open hole)  
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 2 Louvered shutter 3 Mill slot 4 Key punched 5 Gauzed wrapped 6 Wire wrapped 7 Torch cut 8 Saw cut 9 Drilled holes 10 Other (specify) 11 None (open hole)  
SCREEN-PERFORATED INTERVALS: From 23 ft. to 43 ft., From ..... ft. to ..... ft.  
GRAVEL PACK INTERVALS: From 22 ft. to 45 ft., From ..... ft. to ..... ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other .....  
Grout intervals: From 1 ft. to 20 ft., From 20 ft. to 22 ft., From ..... ft. to ..... ft.  
What is the nearest source of possible contamination: 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 4 Lateral lines 5 Cess pool 6 Seepage pit 7 Pit privy 8 Sewage lagoon 9 Feedyard 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below)  
Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	1.5	Red Brown silty clay - dry			
1.5	5.0	Red Brown silty clay moist			
5.5	11.5	Red Brown silty clay moist medium plasticity			
12.0	20'	orange brown silty sand moist and hard			
21'	25'	orange/brown silty sand saturated zone begins.			
26'	45'	orange/brown mottled gray silty clay moist, hard			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 6-28-93 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 438 This Water Well Record was completed on (mo/day/yr) 7-1-93 under the business name of KCTL by (signature) [Signature]

OFFICE USE ONLY T R E/W SEC. 1/4 1/4 1/4