WALLY NEWSTONESTIC WALKSTONEST OF THE SAME SHOW	ODD	#77 * 7	WC 5	MW-	•	" Dagonmana A Ni-			
WATER WELL RECORD 1 LOCATION OF WATER WELL:		Fraction		Section	vision of Wate on Number	r Resources App. No. Township No.		umber	
County: Barber		1/4 SW 1/4 SW	1 1/4 NW 1/4	,	28	T 35 S	R 15	□E Z W	
Street/Rural Address of Well Location; if unknown, distance & direction					Global Positioning System (GPS) information:				
from nearest town or intersection: If at owner's address, check here .					Latitude: (in decimal degrees) Longitude: (in decimal degrees)				
Site is located along Aetna Rd. approximately 14 miles south of					Elevation: (in decimal degrees)				
Aetna Rd. and Hwy 160.					Datum: WGS 84, NAD 83, NAD 27				
2 WATER WELL OWNER: ConocoPhillips				Collection Method: ☐ GPS unit (Make/Model: Garmin 60C)					
RR#, Street Address, Box #: 1614-02 Phillips Blda. City, State, ZIP Code : Bartlesville, OK 74004				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey					
City, State, ZIP Code : Bartlesville, OK 74004					Est. Accuracy:				
3 LOCATE WELL	É	ft.		•					
WITH AN "X" IN	WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1)					ft. (3)	ft.	
N N	WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr								
	Pump test data: Well water was								
NWNE	EST. YIELDgpm. Well water wasft. after								
W 🔏 E	ov F Bore Hole Diameter 9								
☐ Domestic ☐ Feedlot ☐ Oil field water supply ☐ Dewatering ☐ Other (Specify below)									
Industrial Domestic-lawn & garden Monitoring well									
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ✓ No									
S If yes, mo/day/yr sample was submitted									
1 mile Water well disinfected? ☐ Yes ☑ No									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter .2									
Casing height above land surface. 30 in., Weight									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot Mill slot									
Continuous stot									
SCREEN-PERFORATED INTERVALS: From									
GRAVEL PACK INTERVALS: From .2.5									
From									
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other									
			m . .	ft. to	It.,	From	. п. ю		
What is the nearest source of possible contamination: ☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)								below)	
Sewer lines Cesspool Sewage lagoon Fuel stor				ge Abandoned water well					
Watertight sewer lin			Fertilizer s	-	Oil well/ga	as well			
Direction from well FROM TO	LITHOLOC		FROM	TO		OG (cont.) or PLU	GGING I	NTERVALS	
	Very Fine San		11.01.1						
							ww		
				11			noted r	ا مایدمد	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged under my jurisdiction and was completed on (mo/day/year) . 11-11-11 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 710 This Water Well Record was completed on (mo/day/year)									
under the business name of Below Ground Surface, Inc. by (signature)									
INSTRUCTIONS: Use to pewriter or half point pen PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies									
(white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at									
http://www.kdheks.gov/waterwell/index.html.									
KSA 82a-1212				Cł	neck: W	hite Copy, 🔲 Bli	ue Copy,	Pink Copy	