		WATER	R WELL RECORD F	orm WWC-5	KSA 82a	-1212	
OCATION OF W	,	Fraction	11/1/		tion Number	Township Number	Range Number
	MAKE	NOV 1/4		1/4	_4	<u>т 35 s</u>	R 20 eW
,		•	Idress of well if located	,	KANS	/	
		South		<u> </u>			
WATER WELL O		KRIVCA (	GARZINA (	15500	,	47029	
#, St. Address, E	ox # : N/c	RICHAR	D DEYDE	1.11		Board of Agriculture,	Division of Water Resource
, State, ZIP Cod	<del>'</del>				WATER		
OCATE WELL'S IN "X" IN SECTI	LOCATION WITH 4		OMPLETED WELL				
- N SECTI	<u>N</u>			,		2	
!	N	VELL'S STATIC	WATER LEVEL 4	<b>∂</b> ft. b	elow land sur	face measured on mo/day/yr	4-14-63
NW		Pump	test data: Well water	was	ft. at	fter hours pu	umping gpr
100 1444 - 1	E	st. Yield	gpm: Well water	was .	ft. at	fter hours pu	amping gpr
i i	<u> </u>	ore Hole Diame	ter <i>. /. ()</i> .in. to	47	ft., a	and	n. to
w i	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	VELL WATER TO	O BE USED AS: 5	Public water	er supply	8 Air conditioning 11	Injection well
1 3	!	1 Domestic	3 Feedlot 6	Oil field wa	ter supply	9 Dewatering 12	Other (Specify below)
sw	- 35	2 Irrigation	4 Industrial 7	Lawn and g	arden only 1	0 Observation well ,	
i	W	Vas a chemical/b	acteriological sample su	bmitted to De	epartment? Ye	sNo; If yes	, mo/day/yr sample was su
	S m	nitted			Wat	ter Well Disinfected? Yes	No No
YPE OF BLANK	CASING USED:		5 Wrought iron	8 Concre	ete tile	CASING JOINTS: Glue	d Clamped
1 Steel	3 RMP (SR)		6 Asbestos-Cement	9 Other	(specify below	v) Weld	led
2 PVQ	4 ABS					Thre	aded
nk casing diamete	er <del> 5</del> in	ı. to <b></b>	ft., Dia	<u></u> in. to		ft., Dia	in. to f
ing height above	land surface	. 1.8				t. Wall thickness or gauge N	
	OR PERFORATION		-	7 PY		10 Asbestos-ceme	
1 Steel	3 Stainless s	steel	5 Fiberglass		IP (SR)	11 Other (specify)	)
2 Brass	4 Galvanized	t steel	6 Concrete tile	9 AB		12 None used (or	
REEN OR PERF	DRATION OPENINGS	S ARE:	5 Gauzeo	wrapped		Saw cut	11 None (open hole)
1 Continuous s	lot 3 Mill	slot	6 Wire w	rapped		9 Drilled holes	(
2 Louvered shi	ıtter 4 Kev	punched	7 Torch o			10 Other (specify)	
REEN-PERFORA	TED INTERVALS:	From	2.5 ft. to	45	ft Fron	n ft.	tof
		From	ft. to			n ft. 1	
GRAVEL P	ACK INTERVALS:	From	f. Q ft. to	45	ft From	n ft. :	tof
		From	ft. to	. •	ft., Fron		
ROUT MATERIA	AL: 1 Neat cer	ment 2	2 Cement grout	3 Bento		Other	
ut Intervals: Fr	om ft.	. to <b>] . O</b>	ft., From	ft.	-	ft., From	
at is the nearest	source of possible co	. •	•		10 Livest		bandoned water well
1 Septic tank	4 Lateral					el storage 15 Oil well/Gas well	
2 Sewer lines 5 Cess pool			8 Sewage lagoon		12 Fertilizer storage 16 Other (specify below)		
3 Watertight se	wer lines 6 Seepag		9 Feedyard				MONE
ection from well?	. •	•	•		How mar	-	
ROM TO		LITHOLOGIC L	.OG	FROM	ТО	LITHOLOG	SIC LOG
0 25	05 5 ANE	7	, , , , , , , , , , , , , , , , , , , ,				
26 45	11 GRAV	re/					
42.5	19RED 1	BED					
							110
							· · · · · · · · · · · · · · · · · · ·
	1						
	OD LANDOWNEED	ACDTICIO :	NA 1. This	(1)	<b>5</b>		
	<b>4</b> .	CENTIFICATIO	This water well was			nstructed, or (3) plugged und	
pleted on (mo/da			٠			d is true to the best of my kn	owledge and belief. Kansa
er Well Contracto		I Yal.	This Water Wel				20-831
r the business n	ame o	int page BLEACE	PRESC FIRM	SE IZU.	// by (signati	ure) Onk	deh
a copies to Kanes	s Department of Healt	th and Environme	ent. Division of Environm	ent Environ	y. Fiease IIII IN nental Geolog	blanks, underline or circle the y Section, Topeka, KS 66620.	Send one to WATER WE
Top. Jo to Marioc	one for your records.		, D.I. GOLO ENVIOLEN	, =		, 230001, 10peka, N3 00020.	COIN ONE TO WATER WEL
NER and retain (	nie ioi your records.						

DP