WATE	R WEI	LL RECORD	Form W	WC-5	Division of V	Vater Resources App. N	lo.	
1 LOCATION OF WATER WELL:			Fraction	(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Section Number	r Township No.	Range Number	
Coun	ty: Clar	Adams of W-III	SW 1/4 SE 1/4 SE			T 35 S		
		Address of Well Location; it own or intersection: If at o		Global Positioning System (GPS) information: Latitude: .37.17843				
1 mile north of 2622 CR GG on ranch					Longitude: -99.650708 (in decimal degrees)			
					Elevation: 1878			
2 WATER WELL OWNER: Snake Creek Ranch					Datum: ✓ WGS 84, ☐ NAD 83, ☐ NAD 27 Collection Method:			
RR#, Street Address, Box #: 2622 CR GG					GPS unit (Make/Model: Google Earth			
City, State, ZIP Code : Ashland, KS 67831					☑ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m			
3 LOCATE WELL								
WIT	H AN "X	"IN 4 DEPTH OF C	COMPLETED WELL				_	
SECT		Depth(s) Groundwater Encountered (1)						
Pump test data: Well water was 60								
EST. YIELD. 20gpm. Well water wasft. after								
W Bore Hole Diameter 8.3/4in. to .100ft., and						.in. to	.ft.	
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
Irrigation Industrial Domestic Joyn & gorden I Monitoring well								
Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted								
Water well disinfected? Ves No								
5 TYPE OF CASING USED: Steel PVC Other Other								
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter .5								
Casing diameter								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
From								
GRAVEL PACK INTERVALS: From 20 ft. to 100 ft., From ft. to ft. to								
From								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other. Grout Intervals: From top								
What is the nearest source of possible contamination:								
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well								
		n well East			from well100.	leet	•••••	
FROM	TO	LITHOLOG	IC LOG	FROM	TO LITHO	. LOG (cont.) or PLI	JGGING INTERVALS	
38	38 60	sand		 				
60	100	sandy red clay sand and gravel	· · · · · · · · · · · · · · · · · · ·					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .3/16/2011 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 101								
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 60612-1367. Telephone 785-296-5522. Send one come to WATER WELL OWNER and return one for your records. Include fee of \$5.00 for each constructed well. Virit is: if								
Land 3 Mark 11 From MF 3 Mark 11 Common to the state of t								
SSA S2u-1212 Check: White Copy, TI Blue Copy. Ti Pink Copy								