


1 LOCATION OF WATER WELL: County: Meade Fraction: NE 1/4 SW 1/4 NW 1/4 Section Number: 8 Township Number: T 35 S Range Number: R 27 E/W

Distance and direction from nearest town or city street address of well if located within city? Meade: 8 S on Hwy 23 8 S on B/T Co. Rd. #18 to dirt Rd 2 E on DD to dirt Rd. #30 go 2 S to dirt Rd FF go 1E & 1320' S 100'E

2 WATER WELL OWNER: Duncan Oil Properties RR#, St. Address, Box #: 100 Park Ave. Ste. 1200 City, State, ZIP Code: Oklahoma City, Ok 73102 #1-8 Judy Board of Agriculture, Division of Water Resources Application Number: 2004 0240

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  4 DEPTH OF COMPLETED WELL: 320 ft. ELEVATION: _____ ft. WELL'S STATIC WATER LEVEL: 60 ft. below land surface measured on 10-16-04 Pump test data: Well water was 145 ft. after 1 hours pumping 100 gpm Est. Yield 100 gpm: Well water was _____ ft. after _____ hours pumping _____ gpm WELL WATER TO BE USED AS: 6 Oil field water supply 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well

5 TYPE OF BLANK CASING USED: 2 PVC 1 Steel 3 RMP (SR) 4 ABS 5 Wrought iron 6 Asbestos-Cement 7 Fiberglass 8 Concrete tile 9 Other (specify below) CASING JOINTS: Glued Clamped Welded Threaded Blank casing diameter: 6 in. to 240 ft. Dia _____ in. to _____ ft. Dia _____ in. to _____ ft. Casing height above land surface: 24 in., weight: 4.074 lbs./ft. Wall thickness or gauge No. SDR 21.316 TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-Cement 11 Other (Specify) _____ 2 Brass 4 Galvanized Steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 8 Saw cut 1 Continuous slot 3 Mill slot 5 Guazed wrapped 6 Wire wrapped 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) _____ SCREEN-PERFORATED INTERVALS: From 240 ft. to 320 ft. From _____ ft. to _____ ft. GRAVEL PACK INTERVALS: From 120 ft. to 320 ft. From _____ ft. to _____ ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other hole plug Grout Intervals: From 1 ft. to 25 ft. From _____ ft. to _____ ft. From _____ ft. to _____ ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage Direction from well? North How many feet? 260

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	3	Surface			
3	49	Clay			
49	67	Sandy clay			
67	91	Sand and clay streaks			
91	104	Sandy clay and clay			
104	114	Sand			
114	191	Clay "blue"			
191	199	Sandstone			
199	239	Sand			
239	248	Clay tan			
248	308	Sand			
308	320	Sand and clay streaks			

RECEIVED
NOV 08 2004
BUREAU OF WATER

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 10-16-04 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No KWWCL-430 This Water Well Record was completed on (mo/day/yr) 10-16-04 under the business name of Howard Drilling Box 806 Beaver, Ok 73932 by (signature) [Signature]

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.