

USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

Inv. 12048

Adams 2-2

1. Location of well:	County Meade	Fraction 1/4 NE 1/4 SW 1/4	Section number 2	Township number T 35 S R 29 E/W	Range number 29
2. Distance and direction from nearest town or city: 7 1/2 miles south of Meade, Lake, 1/4 east, 1 south, 1SW, 1 1/2 W. Street address of well location if in city:			3. Owner of well: Rains & Williamson Oil Co. R.R. or street: 435 Page Court, 220 West Douglas City, state, zip code: Wichita, Kansas 67202		
4. Locate with "X" in section below: N W E S 1 Mile 1 Mile		Sketch map: 		6. Bore hole dia. 9 in. Completion date 160 Well depth 160 ft. 2-10-76	
5. Type and color of material		From	To	7. <input type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary	
Surface		0	2	8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input checked="" type="checkbox"/> Oil field water <input type="checkbox"/> Other	
Clay		2	20	9. Casing: Material <input type="checkbox"/> Height: Above or below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface 28 in. RMP <input type="checkbox"/> PVC <input checked="" type="checkbox"/> Weight 2.78 lbs./ft. Dia. 5 in. to 76 ft. depth Wall Thickness: inches or Dia. 2 in. to 160 ft. depth Gauge No. 265	
Clay and Med. to large sand 60-40		20	40	10. Screen: Manufacturer's name sawed perf.	
Clay		40	80	Type PVC Dia. 5 Slot/gauze .030 Length 80 Set between 76 ft. and 156 ft. ft. and ft. Gravel pack? yes Size range of material 1/8 to 3/16	
Clay and medium to large sand 20-80		80	153	11. Static water level: 25 ft. below land surface Date 2-10-76 mo./day/yr.	
Clay and medium to large sand		153	160	12. Pumping level below land surfaces: ft. after hrs. pumping g.p.m. ft. after hrs. pumping g.p.m. Estimated maximum yield 80 g.p.m.	
				13. Water sample submitted: mo./day/yr. Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date	
				14. Well head completion: <input type="checkbox"/> Pitless adapter 28 inches above grade	
				15. Well grouted? yes With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.	
				16. Nearest source of possible contamination: ft. 100 Direction NE Type oil well Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
				17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name Model number HP Volts Length of drop pipe ft. capacity g.p.m. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
				20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Carlile Water Well 118 Business name License No. Address Box 275, Liberal, Kansas Signed Edward E. Means Date 2-20 Authorized representative	
18. Elevation: Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley		19. Remarks: Red water location			

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5