

USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:	County Meade	Fraction 1/4 C-SE/4 SE 1/4	Section number 3	Township number T 35 S	Range number R 29 E/W
2. Distance and direction from nearest town or city: 2 east Forgan, Okla. north to Cimarron River, 1 North, 2 east. Street address of well location if in city:			3. Owner of well: Service Drilling Company R.R. or street: Box 910 City, state, zip code: Borger, Texas 79007		
4. Locate with "X" in section below: N W E S 1 Mile Sketch map: 			6. Bore hole dia. 9 in. Completion date 2-5-77 Well depth 160 ft.		
5. Type and color of material			7. <input type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary		
Surface			8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input checked="" type="checkbox"/> Oil field water <input type="checkbox"/> Other		
Clay			9. Casing: Material <input type="checkbox"/> Height: Above or below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface 28 in. RMP <input type="checkbox"/> PVC <input checked="" type="checkbox"/> Weight 2.78 lbs./ft. Dia. 5 in. to 65 ft. depth Wall Thickness: inches or Dia. 5 in. to 160 ft. depth gage No. .265		
Fine sand & Med. to large sand			10. Screen: Manufacturer's name sawed Type PVC Dia. 5" Slot/gauze 90 Length 90 Set between 65 ft. and 155 ft. ft. and 155 ft. Gravel pack? yes Size range of material 1/8 to 3/16		
clay			11. Static water level: 25 ft. below land surface Date 2-5-77 mo./day/yr.		
Medium to large sand			12. Pumping level below land surfaces: ft. after hrs. pumping g.p.m. ft. after hrs. pumping g.p.m. Estimated maximum yield 60 g.p.m.		
Clay & Med. to large sand 40-60			13. Water sample submitted: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date		
Clay & Med. to large sand 60-40			14. Well head completion: <input type="checkbox"/> Pitless adapter 28 inches above grade		
			15. Well grouted? yes With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.		
			16. Nearest source of possible contamination: ft. 100 Direction NE Type oilwell Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
			17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name Model number HP Volts Length of drop pipe ft. capacity g.p.m. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
(Use a second sheet if needed)					
18. Elevation: 2323 Topography: pm <input type="checkbox"/> Hill <input checked="" type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley	19. Remarks: 2723 25 2298		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Carlile Water Well 118 Business name License No. Address Box 275, Liberal, Ks. Signed Edward E. Meen Date 2-18 Authorized representative		

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5