

PERMIT #T78-41

USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

CWW Inv. #14367

Adams F-14

1. Location of well:	County Meade	Fraction NE 1/4 SE 1/4 NE 1/4	Section number 10	Township number T 35S	Range number S R 29W E/W
2. Distance and direction from nearest town or city: From Forgan go 2m East to Hwy 23 then go No. to Cimmaron Rvr Brdg - 1/4m No - Follow rd.			3. Owner of well: Service Drilling Company R.R. or street: Box 910 City, state, zip code: Borger, Texas 79007		
4. Locate with "X" in section below:		Sketch map: appr. 2 1/2 m Ea. to loc.			
		Bore hole dia. 9 in. Completion date 3-1			
		Well depth 40 ft.			
5. Type and color of material		From	To	7. <input type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary	
Surface		0	2	8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input checked="" type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input checked="" type="checkbox"/> Oil field water <input type="checkbox"/> Other	
Medium to large sand		2	30	9. Casing: Material <input type="checkbox"/> Height: Above or below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface 28 in. RMP <input type="checkbox"/> PVC <input checked="" type="checkbox"/> Weight 2.78 lbs./ft. Dia. 5 in. to 10 ft. depth Wall Thickness: inches or Dia. 5 in. to 40 ft. depth gauge No. 265	
Blue clay		30	40	10. Screen: Manufacturer's name Sawed perf. Type PVC Dia. 5" Slot/gauze 30 Length 30 Set between 10 ft. and 40 ft. ft. and 40 ft. Gravel pack yes Size range of material 1/8-3/16	
				11. Static water level: 5 ft. below land surface Date 3/1/78	
				12. Pumping level below land surfaces: ft. after 0 hrs. pumping 60 g.p.m. ft. after 0 hrs. pumping 60 g.p.m. Estimated maximum yield 60 g.p.m.	
				13. Water sample submitted: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date 3/1/78	
				14. Well head completion: 28 inches above grade <input type="checkbox"/> Pitless adapter	
				15. Well grouted? yes With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.	
				16. Nearest source of possible contamination: 100 ft. NE Direction oilwell Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
				17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name Carlile Water Well Model number 118 HP 1/4 Volts 115 Length of drop pipe 10 ft. capacity 1/4 g.p.m. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
				20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Carlile Water Well 118 Business name Box 275, Liberal, KS License No. 118 Address Box 275, Liberal, KS Signed Edward E. Means Date 3/10/78 Authorized representative	
18. Elevation: 2305 Topography: h/m <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley	19. Remarks: 2305 2300				

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5