


1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Meade		XC-E 1/2 1/4 NE 1/4	16	T 35 S	R 29 E/W
Distance and direction from nearest town or city street address of well if located within city? From Forgan go 2mi East to Hwy 27 then 7 1/2mi North 1mi East 3/4mi South West into location.					
2 WATER WELL OWNER: Service Drilling					
RR#, St. Address, Box # : Box 5320			Board of Agriculture, Division of Water Resources		
City, State, ZIP Code : Borger, Texas 79007			Application Number: T 81-705		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL... 280 ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1... 217 ft. 2... ft. 3... ft.			
		WELL'S STATIC WATER LEVEL .63 ft. below land surface measured on mo/day/yr 10/2/81			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield .60 gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter .9 in. to .280 ft., and in. to ft.			
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well			
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)			
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well			
		Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes No			
5 TYPE OF BLANK CASING USED:					
1 Steel		3 RMP (SR)	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
2 PVC		4 ABS	6 Asbestos-Cement	9 Other (specify below)	Welded
			7 Fiberglass		Threaded
Blank casing diameter .5 in. to .220 ft., Dia in. to ft., Dia in. to ft.					
Casing height above land surface .28 in., weight 2.78 lbs./ft. Wall thickness or gauge No. .256					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel		3 Stainless steel	5 Fiberglass	7 PVC	10 Asbestos-cement
2 Brass		4 Galvanized steel	6 Concrete tile	8 RMP (SR)	11 Other (specify)
				9 ABS	12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot		3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter		4 Key punched	6 Wire wrapped	9 Drilled holes	
			7 Torch cut	10 Other (specify)	
SCREEN-PERFORATED INTERVALS: From .220 ft. to .280 ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From .100 ft. to .280 ft., From ft. to ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals: From 0 ft. to 10 ft., From ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank		4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines		5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines		6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
				13 Insecticide storage	
Direction from well? North east of water well How many feet? 100'					
FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	2	surface			
2	10	fine sand			
10	78	gravel			
78	105	medium to large sand			
105	123	fine sand			
123	224	blue clay			
244	240	sandy clay			
240	295	gravel			
295	280	clay			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) October 2, 1981 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 118 This Water Well Record was completed on (mo/day/yr) October 20, 1981 under the business name of Carlile Water Well Service, Inc. by (signature) Edward E. Means					
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.					