WATER WELL RECORD FORM WWC-9	on Number Township Number Range Number
1 LOCATION OF WATER WELL: Fraction Section County: Sumner SE ½ SW ½ nE ½	on Number Township Number Range Number 2 T 35 S R 3 W
Distance and direction from nearest town or city street address of well if located within city?	
Approx. 20' N, 40' E of NE corner of former Mitchell's Apco, 24 E. Central -	- Caldwell
WATER WELL OWNER: KDHE	
RR#, St. Address, Box# : 1000 SW Jackson St., Ste. 410	Board of Agriculture, Division of Water Resources
City, State, ZIP Code : Topeka, KS 66612	Application Number:
3 LOCATE WELL'S LOCATON WITH 4 SEPTIME COMPLETED WITH	4 FI FVATION 1130 86 (TOC)
AN "X" IN SECTION BOX: 4 DEPTH OF COMPLETED WELL 30	ft. ELEVATION: 1130.86 (TOC)
Depth(s) Groundwater Encountered 1 22.3	ft. 2 ft. 3 ft. elow TOC measured on mo/day/yr 10/18/13
WELL'S STATIC WATER LEVEL 18.34 ft. b	elow TOC measured on mo/day/yr 10/18/13
	ft. after hours pumping gpm
Bore Hole Diameter 8.25 in. to 30	ft. and in. to ft. pply 8 Air conditioning 11 Injection well pply 9 Dewatering 12 Other (Specify below)
	upply 9 Dewatering 12 Other (Specify below)
2 Irrigation 4 Industrial 7 Laws and garde	en (domestic) 10 Monitoring well
· · · · · · · · · · · · · · · · · · ·	epartment? Yes No X If yes, mo/day/yr sample was
submitted	Water Well Disinfected? Yes No X
	te tile CASING JOINTS: Glued Clamped
······································	
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (s	Thereday Flush
Blank casing diameter 2 in. to 15 ft., Dia in. to	ft., Dia in. to ft.
Casing height above land surface 0 in., weight 0.703	lbs./ft. Wall thickness or gauge No. SCH. 40
TYPE OF SCREEN OR PERFORATION MATERIAL: 17 F	PVC 10 Asbestos-cement
1 Steel 3 Stainless steel 5 Fiberglass 8 F 2 Brass 4 Galvanized steel 6 Concrete tile 9 A	RMP (SR) 11 Other (specify)
2 Brass 4 Galvanized steel 6 Concrete tile 9 A	ABS 12 None used (open hole) 8 Saw cut 11 None (open hole)
	1
1 Continuous slot 3 Mill slot 6 Wire wrapped	
2 Louvered shutter 4 Key punched 7 Torch cut	10 Other (specify)
	ft. From ft. to ft.
From t. to	ft. From ft. to ft.
	ft. From ft. to ft.
	ft. From ft. to ft.
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bento	
Grout Intervals From 1 ft. to 13 ft. From ft. to	ft. Fromft. toft.
What is the nearest source of possible contamination:	10 Livestock pens 14 Abandoned water well
1 Septic tank 4 Lateral lines 7 Pit privy	
2 Sewer lines 5 Cess pool 8 Sewage lagoon	12 Fertilizer storage 16 Other (specify below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard	13 Insecticide storage
Direction from well? FROM TO CODE LITHOLOGIC LOG FROM	How many feet? TO PLUGGING INTERVALS
0 30 Silty Clay, brown to red brown	T EGGENTO INTERVALES
Only Olay, Brown to rea brown	
	Sumov data: 10/29/12
	Survey date: 10/28/13 Latitude: N 37.03284
	Longitude: W 97.60580
	Longitude. ** 07.00000
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) construct	ted (2) reconstructed, or (3) plugged under my jurisdiction and was
40/40/40	
	is record is true to the best of my knowledge and belief. Kansas /ater Well Record was/completed on (mo/day/yr) 11/01/13
	rater yveit Record was/completed on (mo/gay/yr) II/VI/IV
	// A ///
	(signature) // //