

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number	
County: Sumner		NW 1/4 NW 1/4 SE 1/4		2		T 35 S		R 3 EW	
Distance and direction from nearest town or city street address of well if located within city?									
21 North Main, Caldwell, Kansas 67022 KMW10									
2 WATER WELL OWNER:		Marvin Kloeckorn							
RR#, St. Address, Box # :		21 North Main							
City, State, ZIP Code :		Caldwell, Ks. 67022							
Board of Agriculture, Division of Water Resources									
Application Number:									
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 38 ft. ELEVATION:							
		Depth(s) Groundwater Encountered 1. 33 ft. 2. ft. 3. ft.							
		WELL'S STATIC WATER LEVEL 33.41 ft. below land surface measured on mo/day/yr 10-26-92							
		Pump test data: Well water was ft. after hours pumping gpm							
		Est. Yield gpm: Well water was ft. after hours pumping gpm							
		Bore Hole Diameter 7.5/8 in. to 38 ft. and in. to ft.							
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well							
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)							
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well							
		Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted							
		Water Well Disinfected? Yes No X							
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued Clamped							
1 Steel 3 RMP (SR)		Welded							
2 PVC 4 ABS		Threaded X							
Blank casing diameter 2 in. to 23 ft. Dia		in. to ft. Dia in. to ft.							
Casing height above land surface 31 in. weight lbs./ft. Wall thickness or gauge No. Sch. 40									
TYPE OF SCREEN OR PERFORATION MATERIAL:		2 PVC 10 Asbestos-cement							
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)									
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 8 Saw cut 11 None (open hole)							
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes									
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From 23 ft. to 38 ft. From ft. to ft.									
GRAVEL PACK INTERVALS: From 21 ft. to 38 ft. From ft. to ft.									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other									
Grout Intervals: From 0 ft. to 1 ft. From 1 ft. to 21 ft. From ft. to ft.									
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well							
1 Septic tank 4 Lateral lines 7 Pit privy 1 Fuel storage 15 Oil well/Gas well									
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)									
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage									
Direction from well? Northeast		How many feet? 730							
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS									
0 6 Clay, brown									
6 12 Silty clay, red		Site Id # 00094951							
12 16 Silt, tan		Above ground cover							
16 23 Sand, tan, fine to medium grained									
23 29 Clay, tan									
29 34 Sandy clay, reddish brown									
34 37.5 Shale and clay, red to grey, weathered									
37.5 38 Shale, red									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 09-18-92 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 527. This Water Well Record was completed on (mo/day/yr) 10-2-92 under the business name of GeoCore Services, Inc. by (signature) Doug Ray									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.									