

USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County MEADE	Fraction SW 1/4 SW 1/4 NW 1/4	Section number 18	Township number T 35 S	Range number R 30 E
2. Distance and direction from nearest town or city: 11 1/2 South, 9 3/4 West of Meade Street address of well location if in city:		3. Owner of well: R. E. ADAMS JR. R.R. or street: City, state, zip code: PLAINS, KANSAS				
4. Locate with "X" in section below: N W E S 1 Mile		Sketch map: 		6. Bore hole dia. 9 in. Completion date 5/29 Well depth 360 ft.		
5. Type and color of material		From	To	7. Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary		
overburden		0	240	8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input checked="" type="checkbox"/> Oil field water <input type="checkbox"/> Other		
medium sand		240	280	9. Casing: Material PIASTIC Height: Above or below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface 14 in. RMP <input type="checkbox"/> PVC <input checked="" type="checkbox"/> Weight <input type="checkbox"/> lbs./ft.		
blue clay		280	320	Dia. 5 in. to 240 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. 0258		
medium to coarse sand + clay		320	360	10. Screen: Manufacturer's name LONE STAR		
5 fts				Type PVC Dia. 5" Slot/gauze 1/16 Length 100' Set between 240 ft. and 340 ft. ft. and <input type="checkbox"/> ft.		
				Gravel pack? <input checked="" type="checkbox"/> Size range of material 1/80		
				11. Static water level: <input type="checkbox"/> mp./day/yr. 240 ft. below land surface Date 5/29/81		
				12. Pumping level below land surfaces: 0 ft. after 2 hrs. pumping 30 g.p.m. <input type="checkbox"/> ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield 60 g.p.m.		
				13. Water sample submitted: <input type="checkbox"/> mo./day/yr. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date <input type="checkbox"/>		
				14. Well head completion: <input type="checkbox"/> Pitless adapter 18 inches above grade		
				15. Well grouted? <input checked="" type="checkbox"/> With: <input type="checkbox"/> Neat cement <input checked="" type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 3 ft. to 13 ft.		
				16. Nearest source of possible contamination: NONE ft. <input type="checkbox"/> Direction <input type="checkbox"/> Type <input type="checkbox"/> Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
				17. Pump: <input type="checkbox"/> Not installed Manufacturer's name Pioneer Model number 75 HP 1 1/2 Volts 230 Length of drop pipe 273 ft. capacity 60 g.p.m. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
18. Elevation:		(Use a second sheet if needed)		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. T+W WATER WELL SERV 142 Business name 816 Liberal Kansas 66401 Address Liberal Signed W. H. H. H. Date 6/3/81 Authorized representative		
19. Remarks: Pump was used for 15 days to pump water for oil field well THEN PULLED- WELL WAS CAPPED						

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5