USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

Neil #1 CWW Inv. # 12221			,						
County Fraction			Section number		Township number	Range	Range number		
1. Location of well: Sevard 1/4 NW	1/4 NW	1/4	1		1 ₹35	S R	₹ 32°	E/W	
2. Distance and direction from nearest town or city: 8 miles east of 3. On Liberal and 1 south				: Ra	dains & Williamson Oil Co., Inc.				
					Page Court, 220 West Douglas Wichita, Kansas 67202				
4. Locate with "X" in section below: Sketch map:		Ciry, st	ure, zip c	.ode:	6. Bore hole dia.			9-76	
4. Locate with "X" in section below: N					Well depth 300 ft	. —	enon dare =		
T (8) x !					7 Cable tool 🗓 Rotary Driven Dug				
NW NE		554			Hollow rod Jet				
W Sep E	5	E			8. Use: Domestic Irrigation _				
W SW SE F	45 939			115	Lawn				
SW SE			الا بح	₹ . [9. Casing: Material	—— Heigh	t: Above or be	low	
. [1] , (5) s			doca	tin	Threaded Welded PVC	iSurfac	$\frac{28}{4.2.78}$	in. bs./ft.	
1 Mile ——→1					Dia. 5 in. to 210 ft.	depth Wall	Thickness: ipcl	pes or	
5. Type and color of material			From	To	Dia. 5 in. to 300ft.	1 10	No	2	
					10. Screen: Manufacture Sawed	eri.			
Surface			þ	2	Type PVC	Dia	70.0		
Clay			2	80	Slot/gauze 030 Set between 210	Length ft.and	000		
			80	95		ft. and		ft.	
Sandy clay			ВО	72	Gravel pack?Vessiz	e range of m			
Medium to large sand			95	126	11. Static water level: 185 ft. below land	surface De	nte <u>4-907</u>	day/yr.	
Fine sand and med to large sand			126	275	12. Pumping level below	land surface	S :		
Fine sand and med, to large sand			T		ft. after	hrs. pum	oing	g.p.m.	
Clay, fine sand & Med. to large sand			275	290	Estimated maximum yield	L (1		g.p.m.	
Clay, fine sand and medium to large s	sand		290	300	13. Water sample submitt		mo./	/day/yr.	
					Yes X No	Date	MARKET STATE OF THE PARTY AND ADDRESS OF THE PARTY OF THE		
					14. Well head completion Pitless adapter	~ 0	Inches above g	rade	
			-		15. Well grouted? Yes				
					With: X Neat cement Bentonite Concrete Depth: From O ft. to J.O ft.				
					ft. Direction	NE			
				\vdash	Well disinfected upon co		Yes lot installed	No	
					Manufacturer's name	_	or installed	7	
					Model number	HP			
					Length of drop pipe Type:	ft. co	apacity ———	g.p.m.	
					Submersible		Turbine		
(Use a second sheet if needed)					Jet Centrifugal		Reciprod	cating	
18. Elevation: 19. Remarks:					20. Water well contracte	r's certifica		~ °	
					This well was drilled und	er my jurisdi	ction and this i	report	
Topography:					is true to the best of my l Carlile Wate	•		18 5	
— Hill					Business name		Lice	nse No.	
Slope X Upland					Address Box 275	, Libe:	ral, Ka.	1-23	
Valley					Signed Authorized	representati	ve Date	-27	