			WAIEH	WELL HECORL	Form Wy	VC-5 KSA 82a	1212		
<b>⊸</b>		TER WELL:	Fraction		111	Section Number	Township Number	Range Nu	
	Sewa		1 SW/4.	SC 14	NW 1/4	9	т3S s	<u>  P.33</u>	<b>E</b> W)
		from nearest town	· ~	ress of well if lo	cated within c	· 1	$C \subset C$	0	· - 1
		Pancal		on	عرب	COTHE	c of Dupe	n C	
2 WATER	R WELL OW	INER: Made		C <b>0</b> .	•		U		1
RR#, St. /	Address, Bo	x * : P.O. C	OX 148				Board of Agriculture,	Division of Water	Resources
City, State	, ZIP Code	-: Libe	al, KS	67905			Application Number:	72 6	
LOCATE AN "X"	WELL'S L						TION: 2838; 40		
<del>.</del> г	1						face measured on mo/day/y		
1	i						ter hours p		gnm
-	- NW	NE    <sub>=</sub>	•				ter hours p		- 1
	l <sub>o</sub>			Ÿ			•	. •	Ψ.
≝ w ⊦	<u> </u>			•			andii		
_	' '		VELL WATER TO				•	Injection well	elow)   OFFICE
1 -	- SW	SE	1 Domestic	3 Feedlot			9 Dewatering 12	Other (Specify b	elow)
1 1	1		2 Irrigation	4 Industrial			Monitoring well		······   ⊂
, L	ı	<u>_</u>	Vas a chemical/ba	cteriological san	nple submitted		es; If yes		
<del>-</del>			nitted		· · · · · · · · · · · · · · · · · · ·	Wa	ter Well Disinfected? Yes	(No)	ed
5 TYPE	OF BLANK (	CASING USED:		5 Wrought iron	8 C	oncrete tile	CASING JOINTS: Glue	ed Clampe	∍d   💆
1 Ste	el	3 RMP (SR)	•	Asbestos-Cen	nent 9 O	ther (specify below	v) Wel	ded	
E PL		4 ABS	7	7 Fiberglass			Thre	aded	
Blank casi	ng diameter	· <b></b> <u> in</u>	. to	ft., Dia	أرجون والمراد	n. <b>to</b>	ft., Dia	in. to	<u>.</u> ft.
Casing he	ight above la	and surface $\mathcal{F}$	Lushir	ft., Dia n., weight	$\omega \circ \mathcal{H}$	lbs./	ft. Wall thickness or gauge I	vo. Sch.	. <b>4</b> .0
		R PERFORATION	-	-		PVC	10 Asbestos-cem	ent	
1 Ste	el	3 Stainless s	steel 5	5 Fiberglass	_	RMP (SR)	11 Other (specify	·)	<u>.</u> [
2 Br		4 Galvanized		6 Concrete tile		ABS	12 None used (o		
		RATION OPENING			Gauzed wrapp		8 Saw cut	11 None (oper	n hole)
	entinuous sid	A	The same of the sa		Wire wrapped		9 Drilled holes	(	,
	uvered shut		punched		Torch cut		10 Other (specify)		
		ED INTERVALS:	From /	Δ Δ ' <sub>#</sub>	10001001/3	3. A # Ero	n ft.	to	
SCHEEN	PERFORMI	ED INTERVALS.	From			a	••		
,	CDAVEL DA	OK INTERVALO.		2 - 4		<b>7.</b> 1	m π. m ft.	to	·······
,	SHAVEL PA	CK INTERVALS:	From		•				ft.
cl cpour	MATERIAL	d Nort or			to	ft., From Bentonite 4			
_		1777 A	~ ~	Cement grout	_		Other		4
Grout Inte		. •		n., From .			ft., From		
_		ource of possible co						Abandoned water	weir
1 Septic tank 4 Lateral lines				•	· •		uel storage 15 Oil well/Gas well		
	wer lines	5 Cess p		8 Sewag	_				low)
	•	ver lines 6 Seepa	ge pit	9 Feedya	ard		ticide storage		
Direction 1	7				- 1	How ma	ny feet? 75 C 36	INTERVALS	
FROM	TO		LITHOLOGIC LO	OG .	FRO	м то	PLUGGING	INTERVALS	
_0_	38	Sazas	+ Clays						;
38	162	Clays							
		<u> </u>							
	******								
	L								
			S CERTIFICATIO	N: This water v	vell was (1) co	nstructed, (2) reco	onstructed, or (3) plugged u	nder my jurisdiction	on and was
completed	on (mo/day	//year) . 8/.2.5	<u> </u>				ord is true to the best of my	powledge and be	lief. Kansas
Water We	Il Contractor	's License No. S.,	31.,,	This Wa	ater Well Reco	rd was completed	on (mo/day/yr) /.9/	1975	
under the	business na	ame of CeoTe	chnical	Servia	es. In	C by (signa	ture) Man	Me los	
INSTRU	ICTIONS: Use t	ypewriter or ball point pe	n. PLEASE PRESS FIR		4/	lanks, underline or circle	e the correct answers. Send top three	e copies to Kansas D	epartment