


1 LOCATION OF WATER WELL: County: Seward Fraction: NW 1/4 NW 1/4 NW 1/4 Section Number: 9 Township Number: T 35 S Range Number: R 33 E EW

Distance and direction from nearest town or city street address of well if located within city?

2 WATER WELL OWNER: Leon's Diamond Shamrock
 RR#, St. Address, Box #: A. Tr. Jim Madden
32684 Upper Bear Creek Rd.
 City, State, ZIP Code: Evergreen, CO 80439
 Board of Agriculture, Division of Water Resources
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

 4 DEPTH OF COMPLETED WELL: 192.0 ft. ELEVATION: 2846.38
 Depth(s) Groundwater Encountered: 1 172 ft. 2 ft. 3 ft.
 WELL'S STATIC WATER LEVEL: NIA ft. below land surface measured on mo/day/yr NIA
 Pump test data: Well water was ft. after hours pumping gpm
 Est. Yield gpm: Well water was ft. after hours pumping gpm
 WELL WATER TO BE USED AS:
 1 Domestic 3 Feedlot 5 Public water supply 8 Air conditioning 11 Injection well
 2 Irrigation 4 Industrial 6 Oil field water supply 9 Dewatering 10 Monitoring well
12 Other (Specify below)
As storage
 Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes No (NO)

5 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped
2 PVC 4 ABS 4 6 Asbestos-Cement 9 Other (specify below) Welded
 7 Fiberglass Threaded X
 Blank casing diameter in. to 1.95 ft., Dia in. to ft., Dia in. to ft.
 Casing height above land surface -5.52 in., weight lbs./ft. Wall thickness or gauge No. Sch 40 PK
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-Cement
 2 Brass 4 Galvanized Steel 6 Concrete tile 9 ABS 11 Other (Specify)
 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot 2 Louvered shutter 3 Mill slot 4 Key punched 5 Gauzed wrapped 6 Wire wrapped 8 Saw cut 11 None (open hole)
 7 Torch cut 9 Drilled holes 10 Other (specify) ft.
 SCREEN-PERFORATED INTERVALS: From 187 ft. to 192 ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From 184 ft. to 195 ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grout Intervals: From 184 ft. to 0 ft., From ft. to ft., From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage 16 Other (specify below)
Last Site
 Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	55	Sand, very fine grained			
55	70	Sandy clay, very fine grained			
70	100	Sand, fine grained			
100	160	Sand, fine to gravel			
160	195	Sand with angular gravel, caliche, silt/clay			

IASW7

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 11/08/04 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. 594 This Water Well Record was completed on (mo/day/yr) 3/2/05 under the business name of Coranco Great Plains, Inc. by (signature) [Signature]