WATER WELL RECORD Form WWC-5 Division of Water Resources; App. No.												
			ER WELL:	Fr	action					Township Number	Range Num	
County: Seward					V _{v4} SE			6		T 35 S		E(W)
Distance and direction from nearest town or city street address of well if								Global Positioning Systems (decimal degrees, min. of 4 digits)				
located within city? 300 ft south of General Welch & 2nd St.								Latitude:				
300 ft south of General Welch & 2nd St.								Longitude:				
2 WATER WELL OWNER: (KDHE) RR#, St. Address, Box # 1000 SW Jackson Street Suite 410								Elevation:				
C't Ct-t- 7ID C-1-							. 1	Data Collection Method:				
Topeka, Kansas 66612-1367 3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 220								Data Collection Method:				
1		LLS	DEPIH OF	COMPLE	IED WE	LL 221	J ,		1t.			
	CATION 'H AN "X"	'IN I	Denth(s) Grou	ındwater E	ncounter	ed (1)	•	ft.	(2)	ft. (3).		. ft.
	WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft. WELL'S STATIC WATER LEVEL 154.90 ft. below land surface measured on mo/day/yr 3/25/08											
N Pump test data: Well water was ft. after hours pumping g Est. Yield gpm: Well water was ft. after hours pumping g												gpm
												gpm
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 12 Other (Specific by												
W E I Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 7 Domestic (lawn& garden) 10 Monitoring well												elow)
	X		2 Irrigation	4 industria	ו / ט	omestic	(lawn&	garden)	(10)Mor	illoring well		
S	Was a chemical/bacteriological sample submitted to Department'? Yes											
Was a chemical/bacteriological sample submitted to Department'? Yes												
	S		-									
5 TYPI	E OF CASI	ING US	ED: 5 W	rought Iron		8 Conc	rete tile		CASIN	G JOINTS: Glued	Clamped	
I	5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile I Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specification)							below)		Welded	•	
2	QPVC 4 ABS 7 Fiberglass									Threaded	yes	
I Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded Threaded Yes Blank casing diameter 4 in. to 160 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 0 in., Weight lbs./ft. Wall thickness or guage No.												ft.
Casing	height abov	e land su	urface		in., Weigh	ıt		lbs./ft. V	Vall thick	kness or guage No.		
TYPE	JF SCREET	N UK PE 2 Stain1	ERFORATION	MATERIA 5 Fiberglas	L: (行)	PVC	9 Δ	RS		1.1 Other (Specify)		
I Steel 3 Stainless Steel 5 Fiberglass TVC 9 ABS 1 1 Other (Specify) 2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)												
SCREE	N OR PER	FORATI	ION OPENING	GS ARE:			,		•	12 Itome about (open		
SCREEN OR PERFORATION OPENINGS ARE: I Continuous slo (3) Mill slot 5 Guazed wrapped 7 Torch cut 9 Drilled holes I I None (open hole)												
2 Louvered shutter 4 Key punched 6 Wire wrapped SCREEN-PERFORATED INTERVALS: From 220 ft. to 160 ft., From ft. to ft.												
SCREE	N-PERFOR	RATED	INTERVALS:	From 220		ft. to	100	ft.	, From	ft. to	•••	ft.
			*********	From 220		ft. to	155	ft.	., From	ft. to ft. to		ft.
	GRAVEL	PACK	INTERVALS	From.		II. to .	:::::::::::::::::::::::::::::::::::::::	II.	., From	ft. to ft. to		II.
6 GRO	UT MATE	CRIAL:	I Neat cen	ent 2 Cem	ent grou	t(3) Ben	tonite	4 other	Cement	t., From	*	
Grout I	ntervals:	From	155 fi	t. to 0.5	ft., F	rom 0.	S	ft. to	f	t., From	ft. to	ft.
1			of possible con									
	Septic tank			d lines 7 Pi			I 0 Livesto			secticide Storage	16 other (spec	cify
	Sewer lines		5 Cess p lines 6 Seepag		ewage lag		I Fuel st			bandoned water well I well/gas well	below) Unknown	
Direction	watertigii on from wel	1 sewer	imes o seepaş	ge pit 9 re	edyaru	Ī	low many	v feet? 9	99 13 OII	i weil/gas weil	. 7. 777 777	
FROM		11		LOGIC LC)G		FROM	TO	Τ	PLUGGING INT	ERVALS	
0		Asphalt					230	0.5	Bentoni	ite slurry using tremi		
0.5			ight Brown, sa	ındy			0.5	0	Concret			
100	120	Sand: Lig	ht brown, fine to	coarse grain, v	vith some ca	aliche						
120	210	Clay: Li	ight Brown, sa	indy, with s	ome calic	che						
210	230	Sand: Lig	ht brown, fine to	coarse grain, v	vith some ca	aliche						
			MANY OD				-		<u> </u>	MW - 2		
			MW-2R									
-							 		-			
7 CON	TRACTOR	'S OR I	ANDOWNER	'S CERTIE	ICATION	J. This	water we	ll was(1	Deonstrue	cted, (2) reconstructe	d or 🖎 nlugg	med.
under m	v jurisdicti	on and w	vas completed	on (mo/dav	(year) 3/2	5/08	and	this reco	rd is true	to the best of my know	vledge and beli	ief.
Kansas	Water Well	l Contrac	ctor's License	No. 665	This	s Water	Well Rec	ord was	completed	l on (mo/day/year) 4/	25/08	
										nunce or circle the c		
INSTRU	CTIONS: Use	e typewrite	er or hall noint ne	n PLEASE P	RECC EIRM	IV and P	RINT clear	lv Please f	ill in blanks	underline or circle the c	orrect answers. Se	end top
three come	es to Kansas T	Dengrimen	t of Health and Da	vironment D.	real of Wes	er Ganlor	v Section	1 000 831/ 1	ackeon of	Suite 420 Tonale Vanna	66612 1 247 Tala	ankono
785-29	ies to Kansas I	Department nd one to	t of Health and En WATER WE	vironment, Bu	reau of Wate	er, Geolog	y Section. 1	1 000 SW Ja	ackson 24. S	Suite 420, Topeka, Kansas .00 for each construc	66612- 1 367. Tele	ephone