WATER WELL RECORD				Divi	sion of W	ater Reso	ources App. No	٠		
County:	S	WATER WELL: eward	NE 14 NW 14 NE 14	NE 1/4	ection N 5	umber	Township N	lumber s	Range Number R 33 □E ⊠W	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:										
from neares	L	Latitude: (in decimal degrees)								
124 West	L	Longitude: (in decimal degrees) Elevation:								
124 West 2 nd , Liberal, Kansas 2 WATER WELL OWNER: KDHE T & M						Datum: WGS 84, NAD 83, NAD 27				
RR#, St. Address, Box # : 1000 SW Jackson					Collection Method:					
City, State, ZIP Code : Topeka, KS					☐ GPS unit (Make/Model: ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey					
					☐ Digital	Map/Phot	to, D Topograph	ic Map, [☐ Land Survey	
2 TOCA	TE WELL			<u>E</u>	st. Accurae	<u>cy</u> : ⊔ <3	m, 🗆 3-5 m, 🗖	5-15 m,	∟ >15 m	
	AN "X" IN		COMPLETED WELL		180		ft			
								ft		
SECTI	N	WELL'S STATI	Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft. WELL'S STATIC WATER LEVEL NA ft. below land surface measured on mo/day/yr							
<u> </u>	<u> </u>	Pum	Pump test data: Well water was ft. after hours pumping gpm							
- NDA/		EST. YIELD	onm: Well water	was	ft	after	hou	rs pumpi	ng gnm	
-1444	NE -	WELL WATER	EST. YIELD gpm: Well water was ft. after hours pumping WELL WATER TO BE USED AS: Public water supply Geothermal Injection well Domestic Feedlot Oil field water supply Dewatering Other (Specify Monitoring well					ion well		
w H	+	E Domestic	□ Domestic □ Feedlot □ Oil field water sur			Dewatering Other (Specify below)				
L-sw	- sF	☐ Irrigation ☐	☐ Irrigation ☐ Industrial ☐ Domestic-lawn & gr			garden Monitoring well				
SW → SE → ☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☒ Monitoring well Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☒ No										
S If yes, mo/day/yr sample was submitted										
1 mile Water Well Disinfected? □ Yes ☒ No										
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 4 in. to 150 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 0 in., Weight 2.07 lbs./ft. Wall thickness or gauge No237										
Casing diameter 4 in. to 150 ft., Diameter in. to ft., Diameter in. to ft.										
Casing height above land surface 0 in., Weight 2.07 lbs./ft. Wall thickness or gauge No237										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify) ☐ Brass ☐ Galvanized Steel ☐ None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
☐ Continuous Slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)										
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☒ Saw cut ☐ Other (specify)										
SCREEN-PERFORATED INTERVALS: From 150 ft. to 180 ft., From tt. to tt.										
From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From 148 ft. to 180 ft., From ft. to ft.										
J GRA	TALLIACK	HATERAALS.	From	ft. to	100	ft Fr	om	ft. t	o ft.	
From ft. to ft., From ft. to ft.										
6 GROUT MATERIAL: □ Neat cement ☑ Cement grout ☑ Bentonite □ Other Grout Intervals From 0 ft. to 2 ft. From 2 ft. to 148 ft. From ft. to ft.										
What is the	nearest source	e of possible contam	ination:							
☐ Sep	tic tank	☐ Lateral lin	nes 🗆 Pit privy 🗀	Livestock			icide storage		ther (specify below)	
	ver lines	Cesspool	☐ Sewage lagoon ☐				doned water we		taminated site	
	itertight sewer	r lines	oit □ Feedyard □	Fertilizer: Distance fr		LI UII W	ell/gas well	Con	taminated site	
		T ITTITO	LOCICLOC	,		LITTIC	LOC (acet)	or DI LIC	CINC INTERVALO	
FROM 0	TO 3"	Concrete	LOGIC LOG	FROM 95	TO 104		ilty, light bro		GING INTERVALS	
3"			, fine gr w/silt/clay lens	104	112		ilty w/caliche		orown	
17		Clay silty w/calich		112	116	Clay si	ilty, light bro	wn		
24	38	Sand, light brown	, fine grain	116	123	Clay si	ilty, light bro	wn		
38		Silt clayey, light b		123	180		ilty w/caliche	, light l	orown w/thin sand	
41	47	Sand, light brown	fine grain			lenses				
62		Clay silty, light br Sand, light brown				 				
73		Clay silty, light br								
85		Sand, light brown							- VALUE - 104	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ⊠ constructed, □ reconstructed, or □ plugged										
under my jurisdiction and was completed on (mo/day/year) 12/15/09 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 554 or 783 . This Water Well Record was completed on (pro/day/year) 1/12/10										
Kansas Wa	ter Well Con	tractor's License No.	554 or 783 . This W	ater Well F	Record wa	as comple	ted on (pro/day	/year)	1/12/10	
1		of Woofter Pum		by (signatu			1/	<u>v</u> t		
INSTRUCT	IONS: Please f	ill in blanks and check the	e correct answers. Send three cor	oies (white, b	lue, pink)	to Kansas	Department of H	ealth and	Environment, Bureau of	
Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.										

MW-2