KOLAR Document ID: 1466864

	WELL R	ECORD Correction		WWC-5 e in Well Use			ivision of Wat sources App.] Well ID	
	TION OF WA			Fraction			ection Numb		Township Numb		nge Number
County				1/4 1/4	1/4			•	T S	R	□ E □ W
						Street or R	ural Address	whe	ere well is located		
Business: di				direction from	irection from nearest town or intersection): If at owner's address, check here:						
Address: Address:											
City:			State:	ZIP:							
3 LOCAT	E WELL						_				
WITH "				IPLETED WI			- 2002		:		
SECTIO	N BOX:			Encountered: 1)					le:		
N	2) ft., or 4) \[\sqrt{1} \] WELL'S STATIC WATER LEVEL:									NAD 27	
				measured on (r				Source for Latitude/Longitude: ☐ GPS (unit make/model:			
NW	NF			measured on (n							
	i l	Pump test d	ata: Well w	ater was	f	t.	I	☐ Land Survey ☐ Topographic Map			
w	E	after		pumping							
SW	SE	C.		ater was							
		Estimated Y		pumping	•••••	gpm	6 Elevation:ft. ☐ Ground Level ☐ To			ıd Level □ TOC	
	 X			gpm in. to		ft and		Source:			
1 n	-	Bore Hole I		in. to					Other		
7 WELL V	WATER TO	BE USED A									-
1. Domestic:				ter Supply: wel	l ID		. 10. 🗆 C	il Fi	eld Water Supply: 16	ease	
☐ Housel	nold	6. 🗆	Dewaterin	g: how many w	ells?						
☐ Lawn &				echarge: well II							
Livesto				g: well ID					nal: how many bores		
2. ☐ Irrigati 3. ☐ Feedlo			nvironmenta] Air Sparge			D a) Closed Loop Horizo					
4. ☐ Industr			Recovery	: ☐ Son ☐ Injec	_	Extraction	raction b) Open Loop Surface Discharge Inj. of Water 13. Other (specify):				
						V 🗆 N-			mple was submitte		
	disinfected?			illed to KDA	E:	res 🗀 No	ii yes, dai	ie sai	inpie was submitte	a:	
				C D Other		CAS	ING IOINT	g	Glued Clamped	- Wold	ad D Threaded
									in. to		
	it above land s					lbs./ft			s or gauge No		
	SCREEN OR										
☐ Steel		less Steel		_	PVC			her (Specify)		
Brass	_	anized Steel			None u	ised (open ho	ole)				
	OR PERFORA							_	6.1 (6.10)		
		☐ Mill Slot ☐ Key Puncl		auze Wrapped			Drilled Holes None (Open 1		Other (Specify)	• • • • • • • • • • • • • • • • • • • •	•••••
_					_				ft., From	ft t	o ft
GRAVEL PACK INTERVALS: From											
Grout Intervals: From											
	rce of possible	e contaminati	on: No	potential source	e of con	tamination v	vithin 200 ft.				
☐ Septic '			Lateral Line				Livestock P			cide Storag	
☐ Sewer I			Cess Pool				Fuel Storage			oned Water	
	ght Sewer Lin			☐ Fee			☐ Fertilizer St	orage	e 🔲 Oil We	ell/Gas Wel	1
☐ Other (Specify)											
10 FROM	ТО		ITHOLOG		110111 11	FROM	ТО		THO. LOG (cont.) or		NG INTERVALS
									, , ,		
						Notes:					
11 CONTRACTORS OF LANDOWNED'S CERTIFICATION. This worker well was a second seco											
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year)											
Kansas Wa	Kansas Water Well Contractor's License No										
under the business name of											
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.											
_	nent of Health ar ttp://www.kdhek			vater, Geology Se	ction, 10	JUU SW Jacks	on St., Suite 420	, Top	eka, Kansas 66612-136		ne 785-296-3565. SA 82a-1212
vion us at II	L.p.// w w w.Kuilel	water wet	II III CA.IIIIII							17	02u 1212

Form	WWC5
Contractor	Chas. Sargent Irrigation, Inc.
Well Owner	
Doc ID	1466864

Litholgy

From	То	LithologicLog
0	06	Top Soil
06	40	Tan Clay
40	60	Stiff Tan clay & Caliche
60	100	Tan Clay
100	122	Tan clay and limestone
122	128	Small Gravel
128	140	Tan Clay
140	180	Stiff tan clay with limestone
180	193	tan clay w/cemented sand
193	200	Fine Sand
200	271	Medium Sand
271	273	Clay
273	352	Medium sand
352	356	Clay
356	360	Clay
360	372	Tight Sand coarse
372	388	Coarse Sand
388	390	clay
390	420	coarse sand
420	448	Sand black clay
448	464	clay
464	482	medium sand
482	571	clay
571	576	clay

Form	WWC5
Contractor	Chas. Sargent Irrigation, Inc.
Well Owner	
Doc ID	1466864

Litholgy

From	То	LithologicLog
576	580	medium sand
580	610	medium sand