

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number	
County: Stevens		NE 1/4 NE 1/4 NW 1/4		3		T 35 S		R 35 EW	
Distance and direction from nearest town or city street address of well if located within city? 10 1/2 West 1/4 South of Liberal, Ks. 67901									
2 WATER WELL OWNER: Baker 2-3 Slawson Drilling RR#, St. Address, Box #: Box 1409 City, State, ZIP Code: Great Bend, Ks. 67530 Board of Agriculture, Division of Water Resource Application Number: T87-34									
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:			4 DEPTH OF COMPLETED WELL: 250 ft. ELEVATION:						
			Depth(s) Groundwater Encountered 1. 155 ft. 2. ft. 3. ft.						
			WELL'S STATIC WATER LEVEL 95 ft. below land surface measured on mo/day/yr 1-27-87						
			Pump test data: Well water was 105 ft. after 2 hours pumping 55 gpm						
			Est. Yield 60 gpm Well water was ft. after hours pumping gpm						
			Bore Hole Diameter 9 in. to 250 ft. and in. to ft.						
			WELL WATER TO BE USED AS:						
			5 Public water supply 8 Air conditioning 11 Injection well						
			1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)						
			2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well						
			Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was submitted						
			Water Well Disinfected? Yes X No						
5 TYPE OF BLANK CASING USED:									
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped									
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded									
Blank casing diameter 5 in. to 0-190 ft. Dia in. to ft. Dia in. to ft.									
Casing height above land surface 14 in. weight 200 lbs./ft. Wall thickness or gauge No. 0.265									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement									
2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify)									
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)									
2 Louvered shutter 6 Wire wrapped 9 Drilled holes									
4 Key punched 7 Torch cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From 95 ft. to 250 ft. From ft. to ft.									
GRAVEL PACK INTERVALS: From 90 ft. to 250 ft. From ft. to ft.									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other									
Grout Intervals: From ft. to ft. From ft. to ft. From ft. to ft.									
What is the nearest source of possible contamination:									
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well									
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well									
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)									
13 Insecticide storage									
Direction from well? Southeast How many feet? 250									
FROM TO LITHOLOGIC LOG FROM TO LITHOLOGIC LOG									
0 95 Overburden									
95 130 Medium sand									
130 140 Fine sand and clay									
140 160 Fine sand and clay									
160 180 Fine sand and clay									
180 200 Fine sand and clay									
200 250 Medium sand									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 1-27-87 and this record is true to the best of my knowledge and belief. Kansas									
Water Well Contractor's License No. 142 This Water Well Record was completed on (mo/day/yr) 2-13-87									
under the business name of T & W Water Well Service, Inc. by (signature) C.D. Wagners									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Office of Oil Field and Environmental Geology, Regulation and Permitting Section, Topeka, Kansas 66620-7500, Telephone: 913-862-9360. Send one to WATER WELL OWNER and retain one for your records.									