

1 LOCATION OF WATER WELL: County: Stevens		Fraction NW 1/4 NW 1/4 NW 1/4		Section Number 5	Township Number T 35 S	Range Number R 36 EW
Distance and direction from nearest town or city street address of well if located within city? From SW Corner of Hugoton - 9 miles south, 6 miles east, 1 mile south, 5,020 Ft. N. & 5,240 Ft. W.						
2 WATER WELL OWNER: Jim Gooch RR#, St. Address, Box # : 214 E. 2nd St. City, State, ZIP Code : Hugoton, Kansas 67951 Board of Agriculture, Division of Water Resources Application Number: 26,765						
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 635 ft. ELEVATION:				
		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.				
		WELL'S STATIC WATER LEVEL 156 ft. below land surface measured on mo/day/yr 10-9-96				
		Pump test data: Well water was ft. after hours pumping gpm				
		Est. Yield gpm: Well water was ft. after hours pumping gpm				
		Bore Hole Diameter 30 in. to 635 ft., and in. to ft.				
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well				
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)				
		(2) Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well				
Was a chemical/bacteriological sample submitted to Department? Yes.....No X; If yes, mo/day/yr sample was sub- mitted						
Water Well Disinfected? Yes No X						
5 TYPE OF BLANK CASING USED:						
<div style="display: flex; justify-content: space-between;"> <div> (1) Steel 2 PVC Blank casing diameter 16 in. to 210 ft., Dia 16 in. to 390 ft., Dia 16 in. to 530 ft. Casing height above land surface 12 in., weight 42.05 lbs./ft. Wall thickness or gauge No. 250 </div> <div> 5 Wrought iron 6 Asbestos-Cement 7 Fiberglass from 290 ft. </div> <div> 8 Concrete tile 9 Other (specify below) Thread from 430 ft. </div> </div>						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
<div style="display: flex; justify-content: space-between;"> <div> (1) Steel 2 Brass SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 2 Louvered shutter 3 Mill slot 4 Key punched </div> <div> 5 Stainless steel 6 Galvanized steel 5 Gauzed wrapped 6 Wire wrapped 7 Torch cut </div> <div> 7 PVC 8 RMP (SR) 9 ABS 8 Saw cut 9 Drilled holes 10 Other (specify) </div> <div> 10 Asbestos-cement 11 Other (specify) 12 None used (open hole) 11 None (open hole) </div> </div>						
SCREEN-PERFORATED INTERVALS: From 210 ft. to 290 ft., From 390 ft. to 430 ft.						
From 530 ft. to 635 ft., From ft. to ft.						
GRAVEL PACK INTERVALS: From 20 ft. to 635 ft., From ft. to ft.						
From ft. to ft., From ft. to ft.						
6 GROUT MATERIAL: 1 Neat cement (2) Cement grout 3 Bentonite 4 Other						
Grout Intervals: From 0 ft. to 20 ft., From ft. to ft., From ft. to ft.						
What is the nearest source of possible contamination:						
<div style="display: flex; justify-content: space-between;"> <div> 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 4 Lateral lines 5 Cess pool 6 Seepage pit </div> <div> 7 Pit privy 8 Sewage lagoon 9 Feedyard </div> <div> 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage </div> <div> (14) Abandoned water well 15 Oil well/Gas well 16 Other (specify below) </div> </div>						
Direction from well? south How many feet? 200						
FROM	TO	LITHOLOGIC LOG			FROM	TO
		See attached log UNABLE TO PROCURE ATTACHMENT			RECEIVED DEC 23 1993 BUREAU OF WATER	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 10-24-96 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 208 This Water Well Record was completed on (mo/day/yr) 10-28-96 under the business name of Minter-Wilson Drilling Co., inc. by (signature) <i>Nora Keller</i>						