WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

| | County | Fraction | | Section | number | Township number | Range number | | |
|--|------------------------------------|-----------------------------|-------------|--|--|--|------------------------|----------------|--|
| 1. Location of well: | | 1 | | | | i ' | 1 | ε Λ ι . | |
| Stevens Ste | | | | er of well: Mede Nix Merle VIX | | | | | |
| Street address of well location if in city: // 5 - 43/4 W R.R. or s | | | | | street: Houte_ | | | | |
| | | | | | 6. Bore hole diagraph in. Completion date 8/3/26 | | | 3 [| |
| Locate with "X" in section below: Section map: | | | | | | 6. Bore hole dia 65 ft. | Completion date | 3/20 | |
| | | | | | | 7 Cable tool X Rotary Driven Dug | | | |
| NW NE | | | | | | Hollow rod Jetted Bored Reverse rotary | | | |
| * w * ! ! E | | | | | | 8. Use: Domestic Public supply Industry X Irrigation Air conditioning Stock | | | |
| SW SE | | | | | : | Lawn Oil field water Other | | | |
| | | | | | | 9. Casing: Material Stee Height: Above or below | | | |
| | | | | | | Threaded Welded Surface in. RMP PYC Weight 15 lbs./ft. | | | |
| 1 1 M | ile ——— | | | | | Dia. Le in. to 65ft. dep | th Wall Thickness; ing | ches or | |
| 5. Type and color of material | | | | From | То | Diain. toft. depth gage No. 1230 | | | |
| Querbunden | | | | | 2,45 | 10. Screen: Magnufacturer's name | | | |
| Overburden Top Soil | | | | | 140 | I lybe Uld I | | | |
| Clay & Rock Strks. | | | | 140 | | Set between 263 | ft. and <u>1065</u> | ft. | |
| Med. to Coarse Sd. & Gravel | | | | 200 | 240 | Gravel pack? (#2) Size range of material #2 - /4. | | | |
| Sd., Gravel & Clay | | | | 240 | 280 | | | | |
| Sd., Clay, Gravel & Rock | | | | 280 | 360 | 12. Pumping level below land surfaces: NH | | | |
| Sd. & Gravel w/Clay Strks. | | | | 360 | | ft. after h | ers. pumping | g.p.m. | |
| | | | | | | Estimated maximum yield | | _g.p.m. | |
| Red Bed | | | | 670 | 695 | 13. Water sample submitted: Yes X No | mo., Date | /day/yr. | |
| | | | | | | Yes X No 1 | 1 | | |
| | | | | | | Pitless adapter | Inches above | grade | |
| | | | | | | 15. Well grouted? 460 With: Neat coment | Bentonite C | Concrete | |
| | | | | ļ | | Depth: From ft. to . | / / / | - Joniciere | |
| | | | | | | 16. Nearest source of possible contamination: ft Direction Type | | | |
| | | | | | | Well disinfected upon completion? Yes X No | | | |
| | | | | | | 17. Pump: Not installed | | | |
| | | | | | | Manufacturer's name Model number | HP Vol | ts | |
| | | | | | | Length of drop pipe | ft. capacity | -g.p.m. | |
| | | | | | | Type: Submersible | Turbine | , | |
| , | / lea e e | sheet if needed) | | | | Jet | Recipro | | |
| 18. Elevation: | (Use a second | sneer IT needed) | |] | L | Centrifugal 20. Water well contractor's of | Other Other | | |
| | | | | | ٠ | This well was drilled under my | | report | |
| Topography: | | 16A. CROPLAND | , | | | is true to the best of my know KTM DRILLING | ledge and belief. | 225 🕏 | |
| | | | | | | Business name × 1385 | | No. | |
| Slope Upland | | | | | | Address | | 7/ | |
| Valley | | | | | | Signed Approvized rep | resentative Date | are sittle | |
| orward the white, blu | e and pink copies to the Departmen | t of Health and Environment | | | | | Form WW | | |