

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number	
County: STEVENS		SE 1/4 SE 1/4 SW 1/4		7		T 35 S		R 38W E/W	
Distance and direction from nearest town or city street address of well if located within city? FROM LIBERAL: WEST ON 2nd. ST. TO 3rd STOP SIGN, 2 SOUTH, 1/2 WEST, 1/8 BACK NORTH TO WELL.									
2 WATER WELL OWNER: SEABOARD FARMS CO.					"KRAMER SOUTH WELL"				
RR#, St. Address, Box #: P.O. BOX 1207					Board of Agriculture, Division of Water Resources				
City, State, ZIP Code: GUYMON, OK 73942					Application Number:				
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:					4 DEPTH OF COMPLETED WELL: 460 ft. ELEVATION:				
<div style="text-align: center;"><p>Diagram showing a 36-section grid (6x6). The bottom-left section (SW 1/4 of the SE 1/4) is marked with an 'X'.</p></div>					Depth(s) Groundwater Encountered 1. 230 ft. 2. ft. 3. ft.				
					WELL'S STATIC WATER LEVEL 230 ft. below land surface measured on mo/day/yr 04-25-96				
					Pump test data: Well water was 250 ft. after 1 hours pumping 120 gpm				
					Est. Yield 120 gpm: Well water was ft. after hours pumping gpm				
					Bore Hole Diameter 11 in. to 460 ft., and in. to ft.				
WELL WATER TO BE USED AS:					5 Public water supply 8 Air conditioning 11 Injection well				
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering					12 Other (Specify below)				
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well					Hog farm				
Was a chemical/bacteriological sample submitted to Department? Yes.....No.....; If yes, mo/day/yr sample was submitted									
Water Well Disinfected? Yes No									
5 TYPE OF BLANK CASING USED:									
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped									
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded									
Blank casing diameter 6 in. to 460 ft., Dia in. to ft., Dia in. to ft.									
Casing height above land surface 24 in., weight 2.902 lbs./ft. Wall thickness or gauge No. 280 SDR 21									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement									
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)									
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)									
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes									
7 Torch cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From 380 ft. to 460 ft., From ft. to ft.									
From ft. to ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From 280 ft. to 460 ft., From ft. to ft.									
From ft. to ft., From ft. to ft.									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other HOLE PLUG									
Grout intervals: From 0 ft. to 16 ft., From ft. to ft., From ft. to ft.									
What is the nearest source of possible contamination:									
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well									
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well									
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)									
13 Insecticide storage									
Direction from well? How many feet?									
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS									
0 2 SAND & SANDY CLAY 275 291 COARSE SAND									
2 28 SANDY CLAY 291 300 COARSE SAND w/RED CLAY MIX									
28 42 CLAY 300 317 COARSE SAND									
42 55 CLAY & SANDY CLAY 317 326 RED & YELLOW SANDY CLAY									
55 82 CLAY 326 340 COARSE SAND									
82 146 CLAY & SANDY CLAY 340 352 COARSE SAND W/RED CLAY STREAKS									
146 156 CLAY 352 360 COARSE SAND									
156 175 SANDY CLAY 360 383 SAND W/RED CLAY STREAKS									
175 191 SAND 383 389 SANDY CLAY									
191 202 SANDY CLAY 389 420 COARSE SAND									
202 212 CLAY 420 454 COARSE SAND W/SMALL GRAVEL									
212 226 CLAY & SANDY CLAY 454 460 CLAY & SANDY CLAY									
226 251 SAND									
251 266 SANDY CLAY									
266 275 SAND									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 04-25-96 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. KWCL - 430 . This Water Well Record was completed on (mo/day/yr) 4-25-96 under the business name of HOWARD DRLG.CO.BOX 806 BEAVER, OK 73932 by (signature) <i>Howard Drlg. Co.</i>									