KOLAR Document ID: 1453243

WATER Original	WELL R	ECORD Correction		WWC-5 e in Well Us	ρ			sion of Wate arces App. N			 Well II	^D [
1 LOCAT				Fraction				ion Numbe		Township Numb			ge Number
County: 14 14 14				4 1/4	2000	1011 1 (01110)		T S	R	3	□ E □ W		
						or Rural Address where well is located (if unknown, distance and							
Business:						direction 1	irection from nearest town or intersection): If at owner's address, check here:						
Address: Address:													
City:			State:	ZIP:									
3 LOCATE	E WELL												
WITH "Y				IPLETED									
SECTION	N BOX:			Encountered:			— • 8 •						
N				3) f TER LEVEL									
				, measured or									,
NW	NE			measured or									
	i	_			nter was ft.			☐ Land Survey ☐ Topographic Map					
w	Е	after			oumpinggpm			Online Mapper:					
- X SW	SE	ofter		ater was									
^	1	Estimated Y		pumping gpm				6 Elevation:ft. ☐ Ground Level ☐ TOC					
S				in. to)	ft. and		Sourc	<u>e</u> : 🗌	Land Survey	GPS 🗆	Top	ographic Map
1 m	ile			in. to						Other		· • • • •	
7 WELL V	VATER TO	BE USED A	AS:										
1. Domestic:				ter Supply:						eld Water Supply: 16			
Househ				g: how man							•••		
☐ Lawn &				echarge: wel						Uncased (
Livestoo 2. Irrigatio				g: well ID						al: how many bores			
3. ☐ Feedlot] Air Sparge		temediation: well ID			a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water					
4. ☐ Industri			Recovery		njection					(specify):			
Was a chen	nical/bacter	iological san	nple subm	itted to KI	OHE? □	Yes \square	No	If yes, date	e sar	nple was submitte	d:		
		☐ Yes ☐			_			3		ı			
8 TYPE O	F CASING	USED: □ S	teel PV	C Other.		C	ASIN	G JOINTS	S: 🗆	Glued Clamped	l 🗌 Wel	ded	☐ Threaded
										in. to			
Casing height						lbs	./ft.	Wall thick	kness	or gauge No			
		PERFORAT								7 (0)			
☐ Steel ☐ Brass		less Steel anized Steel	☐ Fiber ☐ Conc	0	□ PVC	used (open	, hala)		ner (S	Specify)	• • • • • • • • • • • • • • • • • • • •	• • • • •	
SCREEN O					☐ None	useu (open	i iioie)						
☐ Continu		☐ Mill Slot		auze Wrappe	d ∏T	orch Cut	□ Dr	illed Holes	П	Other (Specify)			
_		☐ Key Punch						one (Open H					
SCREEN-P	ERFORATE	D INTERVA	ALS: From	ı ft	. to	ft., Fr	om	ft. to	o	ft., From	ft.	to.	ft.
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.													
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.													
				. ft., From	uras of so	. It. to	n with	ft., From	••••	tt. to	ft.		
Nearest source of possible contamination: No potential source of contamination within 200 ft. ☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage													
□ Septic Tank □ Lateral Lines □ Pit Privy □ Livestock Pens □ Insecticide Storage □ Sewer Lines □ Cess Pool □ Sewage Lagoon □ Fuel Storage □ Abandoned Water Well													
□ Watertig	☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well												
☐ Other (Specify)													
Direction from well? Distance from well? IV FROM TO LITHOLOGIC LOG FROM TO LITHOLOGIC COG COG COG COG COG COG COG COG COG CO							T) 16	. Differential C					
10 FROM	TO		THOLOG	FIC LOG		FRO	M	TO	LH	HO. LOG (cont.) or	PLUGG	ING	INTERVALS
							-						
						Notes	::						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged													
under my jurisdiction and was completed on (mo-day-year)													
Kansas Wat	er Well Con	tractor's Lice	ense No		This W	ater Well	Reco	ord was con	mple	eted on (mo-day-y	ear)		
under the business name of													
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.													
_	Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212												

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	
Doc ID	1453243

Litholgy

From	То	LithologicLog
0	2	sandy top soil
2	71	sandy clay & fine sand
71	83	sand fine to med
83	138	sandy clay
138	157	fine sand
157	173	sand fine med coarse
173	208	sandy clay
208	232	sand fine med, few clay strips
232	245	sand fine med coarse
245	248	tan clay
248	257	sand fine med thin clay strips
257	277	sand fine med coarse
277	291	sand fine med coarse few clay strips
291	297	sand fine w/ sandy red clay
297	390	sand fine med coarse few clay strips
390	394	sandy red clay
394	404	sand fine w/ sandy clay
404	415	sand fine med
415	444	sand fine med w/ sandy clay
444	456	sand fine med few white rock
456	490	fine sand red sandy clay
490	507	fine sand brown sandy clay

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	
Doc ID	1453243

Litholgy

From	То	LithologicLog
507	523	brown clay
523		fine sand w/ brown red clay layers